

BetaTHERM Sensors



Thermistor Configuration



Example: BetaCURVE Series V Part Number



BetaCURVE Interchangeable Thermistor Series V

Applications

- Widely used for cold temperature environments.
- Artificial snow making equipment.
- Temperature compensation.
- Automotive air conditioning.

Features

- Rapid Time Response (1 second typical in liquids).
- DC (Dissipation Constant) = $0.75 \text{mW}/^{\circ}\text{C}$ typical in still air at 25°C .
- Min./Max. Temperature Exposure = -80^oC to 125^oC.
- Available in custom probe assemblies.
- Proven Stability and Reliability

The *BetaCURVE Thermistor Series V* are small epoxy coated devices with solid tin plated lead wires. Due to the low nominal resistance values, these devices are suitable for measurement applications at the lower temperature ranges. The use of tin plated copper wires minimize the effects of lead wire resistance. *Series V* is specified with a temperature tolerance of $\pm 0.2^{\circ}$ C over the range -20° C to 50° C. Resistance - temperature tables are given on pages 43 to 47 for each of the thermistor types listed below. The series does not offer color coding (all thermistor in this series are coated with black epoxy).

BetaCURVE Interchangeable Series V Part Numbers and Specifications:

| Part Number for +/- 5% @ 25 °C | Color Code | Resistance @ 25 ^o C (ohms) | Resistance Tolerance @ 25 °C | Temperature Tolerance and Range | Alpha @ 25 ^o C | 0/50 ⁰ C Beta Value | Curve # |
|-----------------------------------|------------|--|---------------------------------|--|------------------------------|-----------------------------------|---------|
| 0.1K1A1 | Black | 100 | +/-0.50% | +/-0.2 $^{\rm O}$ C 0 $^{\rm O}$ C to 50 $^{\rm O}$ C | -3.50% | 3108 | 1 |
| 0.3K1A1 | Black | 300 | +/-0.50% | +/-0.2 °C 0 °C to 50 °C | -3.50% | 3108 | 1 |
| 1K2A1 | Black | 1000 | +/-0.50% | +/-0.2 $^{\rm O}$ C 0 $^{\rm O}$ C to 50 $^{\rm O}$ C | -3.68% | 3263 | 2 |
| 1K7A1 | Black | 1000 | +/-0.50% | +/-0.2 $^{\mathrm{o}}\mathrm{C}$ 0 $^{\mathrm{o}}\mathrm{C}$ to 50 $^{\mathrm{o}}\mathrm{C}$ | -3.87% | 3422 | 7 |

 BETA ApS (DK + NO): Phone: +45 59 31 11 88, Fax: +45 59 31 12 10, email: <u>beta@beta.dk</u>

 8
 BEATA Komponent AB (SE): Phone: +46 (0)392 360 40, Fax: +46 (0)392 360 41, e-mail: <u>beta@beta.dk</u>

 8
 BETA Finland OY (FI): Phone: +358 (0)9 260 9209, Fax: +358 (0)9 260 9208, e-mail: <u>betafinland@beta.dk</u>

 8
 url: www.beta.dk, www.beata.se, www.betafinland.fi, www.betatherm.com