


2-Pole Filter for DECT

B69812N1897K320

Data Sheet



Features

- SMD filter consisting of coupled resonators with stepped impedances
- (NdBa)TiO₃ ($\varepsilon_r = 88 / TC_f = 0 \pm 10 \text{ ppm/K}$) with a coating of copper (10 μ m) and tin (>5 μ m)
- Excellent reflow solderability, no migration effect due to copper/tin metallization

Index

- Page 2 · Component drawing
 - Recommended footprint
- Page 3 Characteristics
 - · Maximum ratings
 - Typical passband characteristic
- Page 4 • Processing information
 - Soldering requirements
 - Delivery mode

ISSUE DATE	02.03.04	ISSUE	В	PUBLISHER	SAW MWC PD	PAGE	1/4	
					2000	o Datach		




Filter

2-Pole Filter for DECT

B69812N1897K320


Data Sheet

Component drawing



View from below onto the solder terminals and view from beside

Recommended footprint



FPS2D231.DOC

ISSUE DATE	02.03.04	ISSUE	В	PUBLISHER	SAW MWC PD	PAGE	2/4	
					ww	w.DataShe	et4U.c	nm



Filter

2-Pole Filter for DECT

B69812N1897K320

Data Sheet


Characteristics

		min.	typ.	max.	
Center frequency	f_{C}	-	1890		MHz
Insertion loss	α_{IL}		0.8	1.0	dB
Passband	В	20			MHz
-Amplitude ripple (peak - peak)	$\Delta \alpha$		0.3	0.5	dB
Standing wave ratio	SWR		1.5	2.0	
Impedance	Z		50		Ω
Attenuation	α				
at 1780 MHz			7		dB
at 2000 MHz at 2400 to 2600 MHz			8 24		dB dB

Maximum ratings

IEC climatic category (IEC 68-1)		- 40/+ 90/56	
Operating temperature	$T_{\sf op}$	0 / + 55	°C

Typical Passband Characteristics



ISSUE DATE	02.03.04	ISSUE	В	PUBLISHER	SAW MWC PD	PAGE	3/4	
					1/1//	w.DataShe	et4U.c	om



Filter

2-Pole Filter for DECT

B69812N1897K320

Data Sheet


Processing information

Wettability acc. to IEC 68-2-58: ≥ 75% (after aging)

Soldering Requirements

	Profile for eutectic SnPb solder paste	Profile for leadfree solder paste	
Soldering type	reflow	reflow	
 Maximum soldering temperature (measuring point on top surface of the component) 	235 (max. 2 sec.) 225 (max. 10 sec.)	260 (max. 2 sec.) 250 (max. 10 sec.)	°C °C


Recommended soldering conditions (infrared):



Delivery mode

• Blister tape acc. to IEC 286-3, polyester, grey

Pieces/tape: 3000



© EPCOS AG 2001. All Rights Reserved. Reproduction, publication and dissemination of this data sheet, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

The information contained in this data sheet describes the type of component and shall not be considered as guaranteed characteristics. Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

ISSUE DATE	02.03.04	ISSUE	В	PUBLISHER	SAW MWC PD	PAGE	4/4
					TATELY!	w.DataShe	et4U.c