



PFM1N60

## FEATURES

- Originative New Design
- 100% EAS Test
- Rugged Gate Oxide Technology
- Extremely Low Intrinsic Capacitances
- Remarkable Switching Characteristics
- Unequalled Gate Charge : 4.5 nC (Typ.)
- Extended Safe Operating Area
- Lower  $R_{DS(ON)}$  : 8.3 Ω (Typ.) @ $V_{GS}=10V$


## APPLICATION

- Low power battery chargers
- Switch mode power supply (SMPS)
- DC-AC converters.


# PFM1N60

## 600V N-Channel MOSFET

**$BV_{DSS} = 600\text{ V}$**   
 **$R_{DS(on)} = 10.5\text{ }\Omega$**   
 **$I_D = 1.0^*\text{ A}$**



TO-92



1.Gate 2. Drain 3. Source

## Absolute Maximum Ratings $T_C=25^\circ\text{C}$ unless otherwise specified

Symbol	Parameter	Value	Units
$V_{DSS}$	Drain-Source Voltage	600	V
$I_D$	Drain Current – Continuous ( $T_C = 25^\circ\text{C}$ )	1.0*	A
	Drain Current – Continuous ( $T_C = 100^\circ\text{C}$ )	0.63*	A
$I_{DM}$	Drain Current – Pulsed	(Note 1)	A
$V_{GS}$	Gate-Source Voltage	$\pm 30$	V
$E_{AS}$	Single Pulsed Avalanche Energy	(Note 2)	mJ
$I_{AR}$	Avalanche Current	(Note 1)	A
$E_{AR}$	Repetitive Avalanche Energy	(Note 1)	mJ
$dv/dt$	Peak Diode Recovery $dv/dt$	(Note 3)	V/ns
$P_D$	Power Dissipation ( $T_C = 25^\circ\text{C}$ )	3.0	W
	– Derate above $25^\circ\text{C}$	0.22	W/ $^\circ\text{C}$
$T_J, T_{STG}$	Operating and Storage Temperature Range	-55 to +150	$^\circ\text{C}$
$T_L$	Maximum lead temperature for soldering purposes, 1/8" from case for 5 seconds	300	$^\circ\text{C}$

\* Drain current limited by maximum junction temperature

## Thermal Resistance Characteristics

Symbol	Parameter	Typ.	Max.	Units
$R_{\theta JL}$	Junction-to-Lead	--	40	$^\circ\text{C}/\text{W}$
$R_{\theta JA}$	Junction-to-Ambient	--	110	

**Electrical Characteristics**  $T_C=25^\circ\text{C}$  unless otherwise specified

Symbol	Parameter	Test Conditions	Min	Typ	Max	Units
--------	-----------	-----------------	-----	-----	-----	-------

**On Characteristics**

$V_{GS}$	Gate Threshold Voltage	$V_{DS} = V_{GS}$ , $I_D = 250 \mu\text{A}$	2.0	--	4.0	V
$R_{DS(\text{ON})}$	Static Drain-Source On-Resistance	$V_{GS} = 10 \text{ V}$ , $I_D = 0.5 \text{ A}$	--	8.3	10.5	$\Omega$

**Off Characteristics**

$BV_{DSS}$	Drain-Source Breakdown Voltage	$V_{GS} = 0 \text{ V}$ , $I_D = 250 \mu\text{A}$	600	--	--	V
$\Delta BV_{DSS} / \Delta T_J$	Breakdown Voltage Temperature Coefficient	$I_D = 250 \mu\text{A}$ , Referenced to $25^\circ\text{C}$	--	0.65	--	$\text{V}/^\circ\text{C}$
$I_{DSS}$	Zero Gate Voltage Drain Current	$V_{DS} = 600 \text{ V}$ , $V_{GS} = 0 \text{ V}$	--	--	1	$\mu\text{A}$
		$V_{DS} = 480 \text{ V}$ , $T_C = 125^\circ\text{C}$	--	--	10	$\mu\text{A}$
$I_{GSSF}$	Gate-Body Leakage Current, Forward	$V_{GS} = 30 \text{ V}$ , $V_{DS} = 0 \text{ V}$	--	--	100	nA
$I_{GSSR}$	Gate-Body Leakage Current, Reverse	$V_{GS} = -30 \text{ V}$ , $V_{DS} = 0 \text{ V}$	--	--	-100	nA

**Dynamic Characteristics**

$C_{iss}$	Input Capacitance	$V_{DS} = 25 \text{ V}$ , $V_{GS} = 0 \text{ V}$ , $f = 1.0 \text{ MHz}$	--	155	200	pF
$C_{oss}$	Output Capacitance		--	20	26	pF
$C_{rss}$	Reverse Transfer Capacitance		--	3.0	4.0	pF

**Switching Characteristics**

$t_{d(on)}$	Turn-On Time	$V_{DS} = 300 \text{ V}$ , $I_D = 1.0 \text{ A}$ , $R_G = 25 \Omega$	--	10	30	ns
$t_r$	Turn-On Rise Time		--	20	50	ns
$t_{d(off)}$	Turn-Off Delay Time		--	16	45	ns
$t_f$	Turn-Off Fall Time		--	25	60	ns
$Q_g$	Total Gate Charge	$V_{DS} = 480 \text{ V}$ , $I_D = 1.0 \text{ A}$ , $V_{GS} = 10 \text{ V}$	--	4.5	6.0	nC
$Q_{gs}$	Gate-Source Charge		--	1.1	--	nC
$Q_{gd}$	Gate-Drain Charge		--	2	--	nC


**Source-Drain Diode Maximum Ratings and Characteristics**

$I_S$	Continuous Source-Drain Diode Forward Current	--	--	1.0*	A	
$I_{SM}$	Pulsed Source-Drain Diode Forward Current	--	--	3.0*		
$V_{SD}$	Source-Drain Diode Forward Voltage	$I_S = 0.5 \text{ A}$ , $V_{GS} = 0 \text{ V}$	--	--	1.5	V
$trr$	Reverse Recovery Time	$I_S = 1.0 \text{ A}$ , $V_{GS} = 0 \text{ V}$	--	190	--	ns
$Qrr$	Reverse Recovery Charge		$dI_F/dt = 100 \text{ A}/\mu\text{s}$ (Note 4)	--	0.5	$\mu\text{C}$


**Notes :**

- Repetitive Rating : Pulse width limited by maximum junction temperature
- $I_{AS}=0.4\text{A}$ ,  $V_{DD}=50\text{V}$ ,  $R_G=25\Omega$ , Starting  $T_J=25^\circ\text{C}$
- $I_{SD}\leq 1.0\text{A}$ ,  $di/dt\leq 300\text{A}/\mu\text{s}$ ,  $V_{DD}\leq BV_{DSS}$ , Starting  $T_J=25^\circ\text{C}$
- Pulse Test : Pulse Width  $\leq 300\mu\text{s}$ , Duty Cycle  $\leq 2\%$
- Essentially Independent of Operating Temperature


## Typical Characteristics




**Figure 1. On Region Characteristics**




**Figure 2. Transfer Characteristics**




**Figure 3. On Resistance Variation vs. Drain Current and Gate Voltage**



**Figure 4. Body Diode Forward Voltage Variation with Source Current and Temperature**




**Figure 5. Capacitance Characteristics**




**Figure 6. Gate Charge Characteristics**


## Typical Characteristics (continued)




**Figure 7. Breakdown Voltage Variation vs Temperature**




**Figure 8. On-Resistance Variation vs Temperature**



**Figure 9. Maximum Safe Operating Area**



**Figure 10. Maximum Drain Current vs Case Temperature**



**Figure 11. Transient Thermal Response Curve**

## Characteristics Test Circuit & Waveform




Fig 14. Resistive Switching Test Circuit & Waveforms




Fig 15. Gate Charge Test Circuit & Waveform




Fig 16. Unclamped Inductive Switching Test Circuit & Waveforms

## Characteristics Test Circuit & Waveform (continued)





Fig 17. Peak Diode Recovery  $dv/dt$  Test Circuit & Waveforms

**Package Dimension****TO-92**

## Reliability Qualification

### A. High Temperature Reverse Bias ( HTRB )

The purpose of this test is to determine the sensitivity of the product to mobile ion contamination and related failure mechanisms.

Conditions: MIL-STD-750C 1038, JIS C 7021 B-3

$T_A=150^\circ\text{C}$   $V_{DS}=80\%$  max rated  $V_{DS}$

Sample Size	#of Fail	Cum. Fail%	168hrs	300hrs
45	0	0.0%	0	0

### B. High Temperature Gate Bias ( HTGB )

The purpose of this test is to determine the sensitivity of the product to mobile ion contamination between gate and source and related failure mechanisms.

Conditions: MIL-STD-750C 1038, JIS C 7021 B-3

$T_A=150^\circ\text{C}$   $V_{DS}=V_{GSS}$  max

Sample Size	#of Fail	Cum. Fail%	168hrs	300hrs
45	0	0.0%	0	0

### C. Temperature Humidity Bias ( THB )

The purpose of this test is to evaluate the moisture resistance of non-hermetic components.

The addition of voltage bias accelerates the corrosive effect after moisture penetration has taken place. with time, this is a catastrophically destructive test.

Conditions: JESD22-A101, JIS C 7021 B-11

$T_A=85^\circ\text{C}$   $RH=85\%$   $V_{DS}=80\%$  max rated  $V_{DS}$

Sample Size	#of Fail	Cum. Fail%	168hrs	300hrs
45	0	0.0%	0	0

## Reliability Qualification (Continued)

### D. High Temperature Storage ( HTS )

The purpose of this test is to expose time/temperature failure mechanisms and to evaluate long-term strong stability.

Conditions: MIL-STD-750C 1031.4, JIS C 7021 B-10

$T_A=T_{stg}(\max)$  150 °C

Sample Size	#of Fail	Cum. Fail%	168hrs	300hrs
45	0	0.0%	0	0

### E. Pressure Cooker Test ( PCT )

#### Autoclave ( ACLV )

The purpose of this test is to evaluate the moisture resistance of non-hermetic components under pressure/temperature conditions.

Conditions: MIL-STD-750C 1071.2, JIS C 7021 A-6

$T_A=121\text{ }^{\circ}\text{C}\pm2\text{ }^{\circ}\text{C}$  RH=100% P=1 atmosphere (15psig)

Sample Size	#of Fail	Cum. Fail%	48hrs
22	0	0.0%	0

### F. Temperature Cycle Air-to Air ( T/C )

The purpose of this test is to evaluate the ability of the device to withstand both exposure to extreme temperature and the transition between temperature extreme, and to exposure excessive thermal mismatch between materials.

Conditions: JESD22-A104, JIS C 7021 A-4

Air to air,  $-65\text{ }^{\circ}\text{C}\sim150\text{ }^{\circ}\text{C}$ , 10 minutes dwell time at each temperature

Sample Size	#of Fail	Cum. Fail%	100cycles	200cycles
22	0	0.0%	0	0