



CHIP TYPE, LOW LEAKAGE CURRENT

- Low leakage current (0.5μA to 2.0μA max.)
- Low cost for replacement of many tantalum applications
- Comply with the RoHS directive (2002/95/EC)






SPECIFICATIONS

Item	Characteristics								
Operation Temperature Range			-4	0 ~ +85°	С				
Rated Working Voltage			6	i.3 ~ 50V					
Capacitance Tolerance			±20% a	at 120Hz,	, 20°C				
Leakage Current	≤ (0.002CV or	0.5µA whic	chever is	greater	(after 2	minutes)		
Leanage Janein	I: Leakage cur	rent (μA)	C: Norma	al Capaci	itance (μF) V	: Rated \	Voltage	(V)
	Measurement freque	ency: 120Hz	z, Tempera	ture: 20°	C				
	Rate voltage (V)	6.3	10	16	3	25	35		50
Dissipation Factor	Surge voltage (V)	8.0	13	20)	32	44		63
	tan δ (max.)	0.24	0.20	0.1	16	0.14	0.12	2	0.10
	Rated voltage (V)			6.3	10	16	25	35	50
Low Temperature Characteristics (Impedance radio at 120Hz)	Impedance ratio	Z(-25°C) / Z(20°C)		4	3	2	2	2	2
(impedance radio at 120112)	ZT/Z20 (max)	Z(-40°C) / Z(20°C)		8	6	4	4	3	3
Load Life	Capacitance Change Within			nin +20% of initial value					
(After 2000 hours application of the	1 0		200% or	200% or less of initial specified value					
rated voltage at 85°C)	· ·		initial specified value or less						
	After reflow soldering according to Reflow Soldering Condition (see page 8) and re room temperature, they meet the characteristics requirements list as bellow.					stored at			
Resistance to Soldering Heat	Capacitance Chang	ge	With	in ±10%	of initia	l value			
	Dissipation Factor		initial specified value or less						
	Leakage Current		initia	I specifie	d value	or less			
Reference Standard			JIS C-514	1 and JIS	S C-510)2			

DRAWING (Unit: mm)



DIMENSIONS (Unit: mm)

ØD x L	4 x 5.4	5 x 5.4	6.3 x 5.4
Α	1.8	2.1	2.4
В	4.3	5.3	6.6
С	4.3	5.3	6.6
E	1.0	1.3	2.2
L	5.4	5.4	5.4

DB LECTRO?



DIMENSIONS & MAXIMUM PERMISSIBLE RIPPLE CURRENT

WV	6.3			10			16		
μF	Case size	Max. E.S.R.	R.C.	Case size	Max. E.S.R.	R.C.	Case size	Max. E.S.R.	R.C.
10							4 x 5.4	26	25
22	4 x 5.4	18	31	5 x 5.4	15	35	5 x 5.4	12	39
33	5 x 5.4	13	39	5 x 5.4	10	43	6.3 x 5.4	8	57
47	5 x 5.4	8.5	47	6.3 x 5.4	7.0	59	6.3 x 5.4	6	68
100	5 x 5.4	4.0	71	6.3 x 5.4	3.3	76			

WV		25			35			50	
μF	Case size	Max. E.S.R.	R.C.	Case size	Max. E.S.R.	R.C.	Case size	Max. E.S.R.	R.C.
0.1							4 x 5.4	1660	1.0
0.22							4 x 5.4	754	2.3
0.33							4 x 5.4	503	3.5
0.47							4 x 5.4	353	5
1							4 x 5.4	166	10
2.2							4 x 5.4	75	15
3.3							4 x 5.4	50	18
4.7	4 x 5.4	50	19	4 x 5.4	42	20	5 x 5.4	35	23
10	5 x 5.4	23	28	5 x 5.4	20	30	6.3 x 5.4	17	34
22	6.3 x 5.4	11	52	6.3 x 5.4	9	54			
33	6.3 x 5.4	7	63						


Case size $\varnothing D \times L$ (mm), maximum E.S.R. (Ω) at 20°C 120Hz, ripple current (mA rms) at 85°C 120Hz

FREQUENCY COEFFICIENT OF ALLOWABLE RIPPLE CURRENT

Frequency	~50Hz	120Hz	300Hz	1KHz	10KHz~
Coefficient	0.70	1.00	1.17	1.36	1.50

DB LECTRO?

EXPLANATION OF PART NUMBERS



Chip Type

(1, 2)(3, 4)

Series

Vol.

(WV)

(5~7)Сар. (μ**F**)

Code

Code

(8)	
Tol. (%)	Code
+10	К
-10	K
+15	
-15	<u>L</u>
+20	

-20

М

(10)

(. •)	
Туре	Code
Chip	С
Radial	R
Radial Taping	Т
Snap-in	S

(13, 14)

Code

S

С

D

(12)

Dia.

(Ø)

3

4 5

	Length (mm)	Cod
	5	05
	5.4	54
	5.8	58

7

7.7

9

07

77

09

CS	2	0D		0.1	0R1
CK	4	0G		0.22	R22
SC	6.3	0J		0.33	R33
CN	10	1A		0.47	R47
KP	16	1C		1	010
LZ	25	1E		2.2	2R2
KZ	35	1V		3.3	3R3
FZ	40	1G		4.7	4R7
EL	50	1H		10	100
KL	63	1J		22	220
KH	100	2A		33	330
HU	160	2C		47	470
RA	200	2D		100	101
RN	250	2E		220	221
RT	315	2F		330	331
RK	330	2U		470	471
RM	350	2V		1000	102
RS	400	2G		2200	222
LA	450	2W		3300	332
LK			•	4700	472

(11)		
Туре	Descriptions	Code
Chip	Taping & Reel	R
	Bulk	В
	Taping (Forming)	Α
	Taping (Straight)	S
Radia	Lead Cut	С
dial	Lead Forming Cut	F
	Lead Forming Only	М
	Kinked Forming Cut	K
	Kinked Straight Cut	Υ
Snap- in	Lead Snap-in	W

6.3	E
8	F
10	G
12	Н
12.5	1
13	J
13.5	V
14.5	Α
16	K
18	L
20	М
22	N
25	0
30	Р
35	Q
40	R

10.5	10
11	11
12	12
14	14
16	16
20	20
21	21
25	25
26	26
31	31
35	35
36	36
40	40
46	46

(15)

NK
NM
NS
BP
TM
TN
SM
SK

LM

LS

NP

Sleeve	Code
PVC sleeve (White printing)	W
PVC sleeve (Black printing)	В
PVC sleeve (Golden printing)	G
PVC sleeve (Silver printing)	Α
PET sleeve (Green colour white printing)	1
PET sleeve (Purple colour white printing)	2
PET sleeve (Yellow colour black printing)	3

10000

22000

103

223

(16)

· /	
Rubber	Code
Plane	Р
Convexity	Т

(17, 18)

Lead Shape	Code
Standard	00
Not standard	01
Length after cut is 3mm	30
Length after cut is 4.5mm	45
Length after cut is 5mm	50
Length after cut is 7.5mm	75
Length after cut is 10mm	1A



CORRESPONDING TO RoHS DIRECTIVE

	electrolytic citors	Chip type	Radial lead type	Snap-in type
RoHS o	compliant	Yes	Yes	Yes
RoHS restricted substances	Most concerns on terminals	Change plating from Sn-Pb to	Change plating from Sn-Pb to	Change plating from Sn-Pb to
	Plating on terminals	Sn	Sn	Sn
	Construction of terminals	Fe/Cu/Sn	Fe/Cu/Sn	Fe/Cu/Sn
	Plating characters	Plating thickness 12μm Plating type matte No heat treatment after plating	Plating thickness 12μm Plating type matte No heat treatment after plating	Plating thickness 10μm Plating type matte No heat treatment after plating
	Insulating sleeve	No used	Replace PVC with PET (where customer designated)	Replace PVC with PET (where customer designated)
Pb	Resistance to soldering heat	Please see "Lead Free Reflow Soldering Condition" for chip type aluminum electrolytic capacitors	No change	No change
	Solderability	No difference with Sn-Pb No difference with Sn-Pb		No difference with Sn-Pb
	Tensile strength	No difference with Sn-Pb	No difference with Sn-Pb	No difference with Sn-Pb
	Whisker No difference with Sn-Pb Room storage test: 20~25°C 30~80%RH, 4000hrs. Aging test: 60±5°C, 93 +2/-3%RH, 4000hrs. Thermal cycle test: -55 +0/-10°C to 85 +10/-0°C, 3 cycles/hour, 1000 cycles		No difference with Sn-Pb Room storage test: 20~25°C, 30~80%RH, 4000hrs. Aging test: 60±5°C, 93 +2/-3%RH, 4000hrs. Thermal cycle test: -55 +0/-10°C to 85 +10/-0°C, 3 cycles/hour, 1000 cycles	Whisker is not observed Room storage test: 20~25°C, 30~80%RH, 4000hrs. Aging test: 60±5°C, 93 +2/-3%RH, 4000hrs. Thermal cycle test: -55 +0/-10°C to 85 +10/-0°C, 3 cycles/hour, 1000 cycles
Cr ⁶⁺	Plating material	< 2ppm	< 2ppm	< 2ppm
Hg		< 2ppm	< 2ppm	< 2ppm
Cd		< 2ppm	< 2ppm	< 2ppm
PBB		Not detected	Not detected	Not detected
PBDE		Not detected	Not detected	Not detected
Identification for RoHS compliance products		Add "Pb free" or "RoHS" marking on inner and outer carton label (where customer designated)	Add "Pb free" or "RoHS" marking on inner and outer carton label (where customer designated)	Add "Pb free" or "RoHS" marking on inner and outer carton label (where customer designated)
MSL Level (IPC/JEDEC J-S	TD-020C)	Not available No need for dry package	Not available No need for dry package	Not available No need for dry package



SERIES TABLE


Chip Type Aluminum Electrolytic Capacitors

Applications	Series	Features	Capacitance (µF)	Rate Voltage (V.D.C.)	Operating Temperature (°C)	Load Life (Hours)	Capacitance Tolerance (%)
C		Standard size	0.1 ~ 1500	4 ~ 100	-40 ~ +85	2000	±20
Standard	СК	Standard size, wide temperature range	0.1 ~ 1500	4 ~ 50	-55 ~ +105	2000	±20
Low Leakage Current	sc	Low leakage current	0.1 ~ 100	6.3 ~ 50	-40 ~ +85	1000	±20
Non polarized	CN	Non-polarized	0.1 ~ 100	6.3 ~ 50	-40 ~ +85	1000	±20
Non-polarized KP		Non-polarized, wide temperature range	0.1 ~ 47	6.3 ~ 50	-55 ~ +105	1000	±20
Low		Low impedance	1 ~ 1500	6.3 ~ 50	-55 ~ +105	2000	±20
Impedance	KZ	Extra low impedance	4.7 ~ 1500	6.3 ~ 50	-55 ~ +105	2000	±20
	FZ	Long life, extra low impedance	4.7 ~ 1500	6.3 ~ 35	-55 ~ +105	3000	±20
Long Life	EL	Long life assurance	0.1 ~ 1500	6.3 ~ 50	-55 ~ +105	3000	±20
	KL	5000 hours load life	0.1 ~ 4700	6.3 ~ 100	-40 ~ +105	5000	±20
High Reliability	КН	High reliability	10 ~ 330	10 ~ 50	-40 ~ +125	2000	±20
High Voltage	HU	Mid-to-high voltage	3.3 ~ 68	160 ~ 450	-40 ~ +105	5000	±20



SERIES CHART

Chip Type Aluminum Electrolytic Capacitors





GENERAL INFORMATION FOR APPLICATION /!\



The following precautions must be observed when using electrolytic capacitors.

1. Circuit Design

- 1) Please make sure that the environmental and mounting conditions to which the capacitor to be exposed are within the conditions specified in this catalogue.
- 2) Operating temperature and applied ripple must be within the specifications.
- 3) Appropriate capacitors, which comply with the life requirement of the products, should be selected when designing the circuit.
- 4) Aluminum electrolytic capacitors are polarized. Do not apply reserve voltage or AC voltage. Please use non-polarized capacitors for a circuit that can possibly see reserved polarity.
 - Note: Non-polarizes capacitors cannot be used for AC voltage application.
- 5) Do not use aluminum electrolytic capacitors in a circuit that requires rapid and very frequent charge or discharge. In this type of circuit, it is necessary to use special design capacitors with extended life characteristics.
- 6) Do not apply excess voltage.
 - ① Pleased pay attention so that the peak voltage, which is DC voltage overlapped by ripple current, should not exceed the rated voltage.
 - ② In the case where more than two aluminum electrolytic capacitors are used in series, please make sure that applied voltage should be lower than rated voltage should be applied to each capacitor equally using a balancing resistor in parallel with the capacitor.
- 7) Outer sleeved of the capacitor is not guarantee as an electrical insulator. Do not use standard sleeve on a capacitor in applications that require electrical insulation. When the application requires special insulation, please contact our sales office for details.
- 8) Capacitors must not be used under following conditions:
 - ① (a) Capacitors must not be exposed to water (including condensation), brine or oil.
 - (b) Ambient conditions that include toxic gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, ammonium, etc.
 - (c) Ambient conditions that expose the capacitor to ozone, ultraviolet ray and radiation.
 - ② Severe vibration and physical shock conditions that exceed our specification.

Vibration test condition:

Vibration frequency range: 10~55~10Hz

Sweet rate : 10~55~10Hz per minute

Sweet method : logarithmic

Amplitude or acceleration: 1.5 (max. acceleration is 10G)

Direction of vibration : X, Y, Z direction

Testing time : 2 hours per each direction

Shock is not applicable normally.

If a particular condition is required, please contact our sales office.



- 9) When designing a circuit board, please pay attention to the following:
 - ① Make the pad spacing on the PC board matching with the lead space of the capacitor.
 - ② There should not be any circuit pattern or circuit wire above the capacitor safety vent.
- 10) The main chemical solution of the electrolyte and the separator paper in the capacitor are combustible. The electrolyte is conductive. When it comes in contact with the PC board, there is a possibility of pattern or short circuit between the circuit pattern, which could result in smoking or fire. Do not locate any circuit pattern beneath the capacitor end seal.
- 11) Do not design a circuit board so that heat generating components are placed near an aluminum electrolytic capacitor or reserve side of PC board (under the capacitor).
- 12) Please refer to the pad size layout recommendations in our catalogue when designing in surface mount capacitors.
- 13) Electrical characteristics may vary depending on changes in temperature and frequency. Please consider the variation when you design circuits.
- 14) When you install more than 2 capacitors in parallel, consider the balance of current following in to the capacitor.

2. Mounting

- 1) Once a capacitor has been assembled in the set and power applied, do not attempt to re-use the capacitor in other circuits or application.
- 2) Electric potential between positive and negative terminal may exist as a result of returned electromotive force, so please discharge the capacitor using $1K\Omega$ resistor.
- 3) Leakage current of the parts that have stored for long period may increase. When leakage current has increased, please perform a voltage treatment using a $1K\Omega$ resistor.
- 4) Please confirm rating and polarity before installing capacitor on the PC board.
- 5) Be careful not to deform the capacitor during installation.
- 6) Please confirm that the lead spacing of the capacitor matches the pad spacing of the PC board prior to installation.
- 7) Please pay attention to the mechanical shock to the capacitor by suction nozzle of the automatic insertion machine or automatic mounted, or by product checker, or by centering mechanism.
- 8) Reflow soldering: Please see "Lead Free Reflow Soldering Condition" for chip type aluminum electrolytic capacitors (page 8).
- 9) Do not tilt, lay down or twist the capacitor body after the capacitors are soldered to the PC board.
- 10) Do not carry the PC board by grasping the soldered capacitor.
- 11) Please do not allow anytime to touch the capacitor after soldering. If PC board are stored in stack, please make sure PC board or the other components do not touch the capacitor. The capacitor shall not be effected by any radiated heat from the soldered PC board or other components after soldering.

12) Cleaning

- ① Do not clean capacitors with halogenated cleaning agent. However, if it is necessary to clean with halogenated cleaning agent, please contact our sales office.
- ② Recommended cleaning method:

Applicable : Any type, any ratings

Cleaning agents: Pine Alpha ST-100S, cleaning through 750H/750L/710M, Sanelek B-12, Aqua

Cleaner 210SEP, Techno Care FRW14~17, Isopropyl Alcohol.



Cleaning condition: Total cleaning time shall be within 5 minutes by immersion, ultrasonic or other method. Temperature of the cleaning agent shall be 60°C or lower. After cleaning, capacitors should be dried using hot air for minimum of 10 minutes along with the PC board. Hot air temperature should be below the maximum operating temperature of the capacitor. Insufficient dry after water rinse may cause appearance problems, sleeve shirk, bottom- plate bulge and such.

3 Avoid using ozone destructive substance for cleaning agents to concern about global environment. Please consult us regarding other cleaning agents or cleaning methods.

3. In The Equipment

- 1) Do not directly touch terminal by hand.
- 2) Do not short between terminal by conductor, nor spill conductible liquid such as alkaline or acidic solution on or near the capacitor.
- 3) Please make sure that the ambient conditions where the set is installed will be free from spilling water or oil, direct sunlight, ultraviolet rays, radiation, poisonous gases, vibration or mechanical shock.

4. Maintenance and Inspection

Please periodically inspect the aluminum capacitors that are installed in industrial equipment. The following Items should be checked:

Appearance: Remarkable abnormality such as vent operation, leaking electrolyte etc.

Electrical characteristic: Capacitance, dielectric loss tangent, leakage current etc., which are specified in this catalogue.

5. In an Emergency

- 1) If you see smoke due to operation of safety vent, turn off the main switch or pull out the plug from the outlet.
- 2) Do not draw your face to the safety vent since gas over 100°C will be emitted when the safety vent operates. If the gas has entered your eyes, please flush your eyes immediately in pure water. If you breathed the gas immediately wash out your mouth and throat with water. Do not ingest electrolyte. If your skin is exposed to electrolyte, please wash it away using soap and water.

6. Storage

1) Do not keep capacitor in high temperature and high humidity.

Storage conditions should be:

Temperature : $+5^{\circ}$ C $\sim +35^{\circ}$ C Humidity : Lower than 75%

Place : Indoor

- 2) Avoid ambient conditions where capacitors can be covered with water, brine or oil.
- 3) Avoid ambient conditions where capacitors are exposed to poisonous gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, ammonium etc.
- 4) Do not keep capacitor in conditions that expose the capacitor to ozone, ultraviolet ray or radiation.

7. Disposal

Please dispose capacitors in either of the following ways:

- 1) Incinerate capacitors after crushing parts or making a hole on the capacitor body.
- 2) Bury capacitors in the ground. Please have a disposal specialist do it.




LEAD FREE REFLOW SOLDERING CONDITION

(Applicable to Chip Type Aluminum Electrolytic Capacitors)

■ Recommended Conditions for Reflow Soldering

- (1) A thermal condition system such as infrared radiation (IR) or hot blast should be adopted, and vapor heat transfer systems (VPS) are not recommended.
- (2) Reflow soldering should be performed one time. If the capacitor has to be reflowed twice, 30 minutes must be layout between each time.
- (3) For lead-free type reflow soldering, please observe proper conditions below:
 - a) The time of preheating from 150°C to 200°C shall be within maximum 180 seconds;
 - b) The time of soldering temperature at 217°C measured on capacitors' top shall not exceed tL (second);
 - c) The peak temperature on capacitors' top shall not exceed Tp(°C), and the time within 5°C of actual peak temperature shall not exceed tp (second).

■ Classification Reflow Profile




- *1. Average ramp-up rate is 3℃/second max.
- *2. Ramp-down rate is 6°C/second max.
- *3. Time from 25°C to peak temperature is 8 minutes max.

■ Allowable Range of Peak Temperature

Size	Thickness (mm)	Volume (mm³)	Tp(°C)	t _L (second)	tp (second)
Ø4~Ø6.3, Ø8×6.2L	≥2.5	<350	250±0	90	5
Ø8×10.5L	≥2.5	350~2000	240±0	90	5
Ø10×10.5L/13.5L	≥2.5	350~2000	235±0	60	5
Ø12.5, Ø16	≥2.5	>2000	230±0	30 (20*)	5

Re: (20*) is special for mid-to-high voltage which is HU series.

■ Recommended Land Size (Unit: mm)




Size	а	b	С
Ø4	1.6	2.6	1.6
Ø5	1.6	3.0	1.6
Ø6.3	1.6	3.5	1.6
Ø8×6.2L	2.1	4.5	1.6
Ø8×10.5L	3.0	3.5	2.5
Ø10	4.0	4.0	2.5
Ø12.5	4.0	5.7	3.0
Ø16×16.5/21.5	6.0	6.5	3.5



Taping Specifications for Chip Type Aluminum Electrolytic Capacitors

■ Carrier Tape


Drawing 1 (for \emptyset 4 ~ \emptyset 10)



Dimension (Unit: mm)

ØD×L	4×5.4/5.8	5×5.4/5.8	6.3×5.4/5.8	6.3×7.7	8×6.2	8×10.5	10×10.5/13.5
W	12.0	12.0	16.0	12.0	16.0	24.0	24.0
Р	8.0	12.0	12.0	12.0	12.0	16.0	16.0
F	5.5	5.5	7.5	7.5	7.5	11.5	11.5
А	5.0	6.0	7.0	7.0	8.7	8.7	10.7
В	5.0	6.0	7.0	7.0	8.7	8.7	10.7
T ₂	5.8/6.3	5.8/6.3	5.8/6.3	8.4	6.8	11.0	11.0/14.0


Drawing 2 (for \emptyset 12.5 ~ \emptyset 16)



Dimension		(Unit: mm)
ØD×L	12.5×13.5	12.5×16
W±0.3	32.0	32.0
P±0.1	24.0	24.0
F±0.1	14.2	14.2
A ₀ ±0.2	14.0	14.0
B ₀ ±0.2	14.0	14.0
T ₂ ±0.2	14.0	16.5
S±0.1	28.4	28.4

DB LECTRO?

■ Reel



(Unit: mm)

ØD×L	4×5.4/5.8	5×5.4/5.8	6.3×5.4/5.8/7.7	8×6.2/10.5	10×10.5	10×13.5	12.5×13.5/16	16×16.5
Α	14	14	18	26	26	26	34	46
В	382	382	382	382	382	382/332*	382/332*	332*

*For a small package

■ Package Quantity

Size (⊘D×L)	Reel (pcs)	In-box (reels)	Quantity/In-box (pcs)	4 In-boxes/Carton (pcs)
4×5.5/5.8	2,000	6	12,000	48,000
5×5.4/5.8	1,000	6	6,000	24,000
6.3×5.4/5.8	1,000	5	5,000	20,000
6.3×7.7	1,000	5	5,000	20,000
8×6.2	1,000	5	5,000	20,000
8×10.5	500	4	2,000	8,000
10×10.5	500	4	2,000	8,000
10×13.5	300/250*	4	1,200/1,000*	4,800/4000*
12.5×13.5	200/150*	3	600/450*	2,400/1,800*
12.5×16	200/150*	3	600/450*	2,400/1,800*
16×16.5	125*	2	250*	1,000*

Note: All design and specifications are for reference only and is subject to change without prior notice. If any doubt about safety for your application, please contact us immediately for technical assistance before purchase.



LIFE OF ALUMINUM ELECTROLYTIC CAPACITORS

The life of aluminum electrolytic capacitors is mainly dependent on environmental conditions (e.g. ambient temperature, humidity etc.) and electrical factors (e.g. operating temperature, ripple current etc.) Generally, the wear-out mechanism of aluminum electrolytic capacitors is based on evaporation of electrolyte through the rubber seal. Consequently, the factor of temperature (ambient temperature and internal heating due to ripple current) is the most critical to electrolytic capacitors life. The effect of voltage on capacitor life is negligible, especially for low voltage electrolytic capacitors. The lifetime of aluminum electrolytic capacitors can be expressed as following equations:

$$L_e = L_o \bullet K_t \bullet K_r$$
 ----- (1)

Where:

 L_e = Expected life at operating temperature T_e (h)

L_o = Specified life at temperature operating temperature T_o (h)

K_t = Ambient temperature acceleration term

K_r = Ripple current acceleration term

$$K_t = L_o \bullet A^{(T_o - T_e)/10}$$
 ----- (2)

Where:

 T_0 = Maximum rated operating temperature (°C)

T_e = Actual ambient temperature (°C)

A = Acceleration coefficient (for the range from 35° C to the maximum operating temperature, A \approx 2)

$$K_r = 2^{(-\Delta T/5)}$$
 ---- (3)

Where:

 ΔT = An increase in core temperature by internal heating due to ripple current (ΔT = core temperature – ambient temperature)

 ΔT can be estimated as follows:

$$\Delta T = (I^2 \bullet R)/(\beta \bullet S) \quad ----- (4)$$

Where:

I = Ripple current of the capacitor (A rms)

R = Equivalent series resistance of the capacitor (Ω)

 β = Heat radiation coefficient of the aluminum can (W/°C • cm²)

S = Surface area of the capacitor (cm²)