




www.DataSheet4U.com **1306EF**

**Epoxy Case
(Axial Leads)**

Lead Specs.
Tinned Copperweld
Under .190T = 24 AWG
.190 - .380T = 22 AWG
Above .380T = 20 AWG

**Polyester (Mylar®)
and Foil
Capacitors**



DIMENSIONS and RATINGS

Cap. μF	1306EF-1 50 VDC			1306EF-2 100 VDC			1306EF-2 150 VDC			1306EF-3 200 VDC			1306EF-3 400 VDC			1306EF-3 600 VDC		
	T	H	L	T	H	L	T	H	L	T	H	L	T	H	L	T	H	L
.001	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570
.0012	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570
.0015	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570
.0022	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570	.170	.290	.570
.0027	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570	.230	.360	.550
.0039	.160	.240	.420	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570	.230	.360	.550
.0047	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.420	.170	.290	.570	.290	.420	.570
.0056	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.420	.170	.290	.570	.290	.420	.570
.0068	.160	.240	.420	.160	.240	.420	.160	.240	.420	.170	.290	.570	.230	.360	.550	.290	.420	.570
.0082	.160	.240	.420	.160	.240	.420	.170	.290	.420	.170	.290	.570	.230	.360	.550	.290	.420	.670
.01	.160	.240	.420	.170	.290	.420	.170	.290	.570	.170	.290	.570	.230	.360	.550	.290	.420	.670
.012	.160	.240	.420	.170	.290	.420	.170	.290	.570	.170	.290	.570	.230	.360	.550	.290	.420	.670
.015	.170	.290	.420	.170	.290	.570	.170	.290	.570	.230	.360	.550	.290	.420	.570	.290	.420	.670
.018	.170	.290	.570	.170	.290	.570	.170	.290	.570	.230	.360	.550	.290	.420	.570	.290	.420	.820
.022	.170	.290	.570	.170	.290	.570	.230	.360	.550	.230	.360	.550	.290	.420	.670	.290	.420	.820
.027	.170	.290	.570	.230	.360	.550	.230	.360	.550	.230	.360	.550	.290	.420	.670	.390	.540	.820
.033	.170	.290	.570	.230	.360	.550	.230	.360	.550	.290	.420	.570	.290	.420	.670	.390	.540	.820
.039	.170	.290	.570	.230	.360	.550	.230	.360	.550	.290	.420	.670	.290	.420	.670	.390	.540	.820
.047	.230	.360	.550	.230	.360	.550	.290	.420	.570	.290	.420	.670	.390	.540	.820	.390	.540	1.040
.056	.230	.360	.550	.290	.420	.570	.290	.420	.570	.290	.420	.670	.390	.540	.820	.390	.540	1.040
.068	.230	.360	.550	.290	.420	.570	.290	.420	.670	.290	.420	.670	.390	.540	.820	.390	.540	1.240
.082	.290	.420	.570	.290	.420	.570	.290	.420	.670	.290	.420	.670	.390	.540	.820	.390	.540	1.240
.1	.290	.420	.570	.290	.420	.670	.290	.420	.670	.390	.540	.820	.390	.540	1.040	.560	.720	1.240
.12	.290	.420	.570	.290	.420	.670	.290	.420	.820	.390	.540	.820	.390	.540	1.240	.560	.720	1.240
.15	.290	.420	.670	.290	.420	.820	.390	.540	.820	.390	.540	.820	.390	.540	1.240	.560	.720	1.240
.18	.290	.420	.670	.390	.540	.820	.390	.540	.820	.390	.540	1.040	.560	.720	1.240			
.22	.290	.420	.820	.390	.540	.820	.390	.540	.820	.390	.540	1.240	.560	.720	1.240			
.27	.290	.420	.820	.390	.540	.820	.390	.540	1.040	.390	.540	1.240	.560	.720	1.240			
.33	.390	.540	.820	.390	.540	1.040	.390	.540	1.240	.560	.720	1.240						
.39	.390	.540	.820	.390	.540	1.040	.390	.540	1.240	.560	.720	1.240						
.47	.390	.540	.820	.390	.540	1.240	.560	.720	1.240	.560	.720	1.240						
.56	.390	.540	1.040	.390	.540	1.240	.560	.720	1.240	.560	.720	1.240						
.68	.390	.540	1.240	.560	.720	1.240	.560	.720	1.240									
.82	.390	.540	1.240	.560	.720	1.240	.560	.720	1.240									
1.0	.560	.720	1.240	.560	.720	1.240												
1.25	.560	.720	1.240	.560	.720	1.240												
1.5	.560	.720	1.240															

ELECTRONIC FILM CAPACITORS, INC.

Reidville Industrial Park * 41 Interstate Lane * WATERBURY, CONNECTICUT 06705

Phone (203) 755-5629

FAX (203) 755-0659