

"High Frequency Ceramic Solutions"

2.45 GHz Balun / Filter Combination

P/N 2450FB39K001

Detail Specification: 12/19/05

Page 1 of 2


General Specifications

Part Number	2450FB39K001
Frequency (MHz)	2400~2500
Unbalanced Impedance	50 Ω
Differential Balanced Imp.	22+j100 Conjugate match to CSR chipset
Insertion Loss	3.0 dB max.
Return Loss	9.5 dB min.
Phase Difference	180° ± 8
Amplitude Difference	1.0 dB max.

Attenuation (dB)	45 min.@ 880~960MHz
	38 min.@1710~1880 MHz
	35 min.@1880~1990MHz
	20 min.@2110~2170MHz
	25 min.@4800~5000MHz
Operating and Storage Temp.	-40 to +85°C
Reel Quantity	3,000
Power Capacity	1.0 watt max.


Mechanical Dimensions

	In	mm
L	0.098 ± 0.008	2.50 ± 0.20
W	0.079 ± 0.008	2.00 ± 0.20
T	0.043 ± 0.004	1.10 ± 0.10
a	0.016 ± 0.008	0.40 ± 0.20
b	0.031 ± 0.008	0.80 ± 0.20
c	0.012 +.004/-0.008	0.30 +0.1/-0.2
d	0.075 ± 0.008	1.90 ± 0.20



Terminal Configuration


No.	Function
1	Unbalanced Port
2	DC
3	Balanced Port
4	Balanced Port
5	GND
6	GND






Mounting Considerations

Line width should be designed to match 50Ω characteristic impedance, depending on PCB material and thickness.

Units: mm



-  Solder Resist
-  Land
-  Through-hole (φ0.3)

Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

"High Frequency Ceramic Solutions"

2.45 GHz Balun / Filter Combination

P/N 2450FB39K001


Detail Specification: 12/19/05

Page 2 of 2


Typical Electrical Performance (T=25°C)

* Note: The balanced ports (pins 3 & 4) are terminated with a balanced impedance of 22-j100.

Insertion Loss / Return Loss



Amplitude Difference / Phase Difference



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved