

NPN Transistors

2SD2403

■ Features

- High current capacitance
- Low collector saturation voltage
- Complementary to 2SB1572

■ Absolute Maximum Ratings $T_a = 25^\circ\text{C}$


Parameter	Symbol	Rating	Unit
Collector - Base Voltage	V_{CB0}	80	V
Collector - Emitter Voltage	V_{CE0}	60	
Emitter - Base Voltage	V_{EB0}	6	
Collector Current - Continuous	I_C	3	A
Collector Current - Pulse	I_{CP}	5	
Collector Power Dissipation	P_C	2	W
Junction Temperature	T_J	150	$^\circ\text{C}$
Storage Temperature Range	T_{stg}	-55 to 150	

■ Electrical Characteristics $T_a = 25^\circ\text{C}$

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Collector- base breakdown voltage	V_{CB0}	$I_C = 100\text{ }\mu\text{A}$, $I_E = 0$	80			V
Collector- emitter breakdown voltage	V_{CE0}	$I_C = 1\text{ mA}$, $I_B = 0$	60			
Emitter - base breakdown voltage	V_{EB0}	$I_E = 100\text{ }\mu\text{A}$, $I_C = 0$	6			
Collector-base cut-off current	I_{CBO}	$V_{CB} = 80\text{ V}$, $I_E = 0$			0.1	μA
Emitter cut-off current	I_{EBO}	$V_{EB} = 6\text{ V}$, $I_C = 0$			0.1	
Collector-emitter saturation voltage	$V_{CE(sat)}$	$I_C = 2\text{ A}$, $I_B = 100\text{ mA}$		0.15	0.3	V
		$I_C = 3\text{ A}$, $I_B = 150\text{ mA}$		0.21	0.5	
Base - emitter saturation voltage	$V_{BE(sat)}$	$I_C = 2\text{ A}$, $I_B = 100\text{ mA}$		0.89	1.2	
Base - emitter voltage	V_{BE}	$V_{CE} = 2\text{ V}$, $I_C = 100\text{ mA}$	0.6		0.7	
DC current gain	h_{FE}	$V_{CE} = 2\text{ V}$, $I_C = 100\text{ mA}$	80			
		$V_{CE} = 2\text{ V}$, $I_C = 1\text{ A}$	100		400	
Turn-on time	t_{on}	$I_C = 1\text{ A}$, $V_{CC} = 10\text{ V}$ $I_{B1} = -I_{B2} = 0.1\text{ A}$ $R_L = 5\text{ }\Omega$		150		ns
Storage time	t_{stg}			652		
Fall time	t_f			40		
Collector output capacitance	C_{ob}	$V_{CB} = 10\text{ V}$, $I_E = 0$, $f = 1\text{ MHz}$		30		pF
Transition frequency	f_T	$V_{CE} = 10\text{ V}$, $I_E = -300\text{ mA}$		130		MHz

■ Classification of $h_{FE}(2)$







Type	2SD2403-X	2SD2403-Y	2SD2403-Z
Range	100-200	160-320	200-400
Marking	GX	GY	GZ



NPN Transistors

2SD2403

■ Typical Characteristics



NPN Transistors

2SD2403

■ Typical Characteristics

