

## isc N-Channel MOSFET Transistor

### 2SK2351

#### **DESCRIPTION**

- Drain Current I<sub>D</sub>= 6A@ T<sub>C</sub>=25℃
- · Drain Source Voltage-
  - : V<sub>DSS</sub>= 600V(Min)
- · Fast Switching Speed
- Minimum Lot-to-Lot variations for robust device performance and reliable operation


# APPLICATIONS


Switching regulators



### ABSOLUTE MAXIMUM RATINGS(Ta=25°C)

SYMBOL	ARAMETER	VALUE	UNIT
V <sub>DSS</sub>	Drain-Source Voltage (V <sub>GS</sub> =0)	600	V
$V_{GS}$	Gate-Source Voltage	±30	V
I <sub>D</sub>	Drain Current-continuous@ TC=25℃	6	Α
P <sub>tot</sub>	Total Dissipation@T <sub>C</sub> =25℃	100	W
T <sub>j</sub>	Max. Operating Junction Temperature	150	$^{\circ}$
T <sub>stg</sub>	Storage Temperature Range	-55~150	$^{\circ}$







## isc N-Channel Mosfet Transistor

2SK2351

### • ELECTRICAL CHARACTERISTICS (Tc=25°C)

SYMBOL	PARAMETER	CONDITIONS	MIN	TYPE	MAX	UNIT
V <sub>(BR)DSS</sub>	Drain-Source Breakdown Voltage	V <sub>GS</sub> = 0; I <sub>D</sub> = 1mA	600			V
V <sub>GS</sub> (th)	Gate Threshold Voltage	V <sub>DS</sub> = V <sub>GS</sub> ; I <sub>D</sub> =1mA	2.0		4.0	V
R <sub>DS(on)</sub>	Drain-Source On-Resistance	V <sub>GS</sub> = 10V; I <sub>D</sub> = 3A			1.25	Ω
Igss	Gate-Body Leakage Current	V <sub>GS</sub> = ±30V;V <sub>DS</sub> = 0			±100	nA
I <sub>DSS</sub>	Zero Gate Voltage Drain Current	V <sub>DS</sub> =600V; V <sub>GS</sub> = 0			500	μΑ



ISC reserves the rights to make changes of the content herein the datasheet at any time without notification. The information contained herein is presented only as a guide for the applications of our products.

ISC products are intended for usage in general electronic equipment. The products are not designed for use in equipment which require specialized quality and/or reliability, or in equipment which could have applications in hazardous environments, aerospace industry, or medical field. Please contact us if you intend our products to be used in these special applications.

ISC makes no warranty or guarantee regarding the suitability of its products for any particular purpose, nor does ISC assume any liability arising from the application or use of any products, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages.