



- Step Angle 1.8°±5%
- Insulation Resistant 500V DC 100MO Min
- Insulation Strength 50Hz 1Minute 500V Min
- Ambient Temperature -20°C~+50°C
- Temperature Rise 80°C Max
- Shaft Radial Play 0.02mm Max
- Shaft End Play 0.1-0.3mm



**Stepper Motor**





**35BYG, 39BYG Series HB Stepper Motors**

Kysan#	MFG#	No. of Phase	Voltage (V)	Current (A)	Resistance (Ohms)	Holding Torque (g.cm)	Detent Torque (g.cm)	Weight (Kg)	Size		Price (US\$)		
									L0(mm)	L1(mm)	1+	10+	100+
1121001	35BYG002	2	3.2	0.8	4.8	500	150	0.14	26	21	16.47	14.82	13.34
1121002	35BYG005	2	12	0.5	20	1000	150	0.14	28	21	22.10	19.89	17.90
1121003	35BYG007	4	15	0.4	28	700	120	0.14	28	21	17.30	15.57	14.01
1121004	35BYG008	2	24	1.6	1.3	900	120	0.14	29	21	17.30	15.57	14.01
1121005	35BYG307	4	12	0.4	30	700	<160	0.15	28	21	17.30	15.57	14.01
1121006	35BYG305	2	12	0.5	20	1000	150	0.14	28	21	17.30	15.57	14.01
1121007	35BYG408	2	2.4	1.6	1.3	900	<180	0.15	29	21	17.30	15.57	14.01
1121008	35BYG202	2	4	0.8	4.8	500	150	0.14	28	21	17.30	15.57	14.01
1121009	35BYG101	2	12	0.4	25	500	<150	0.12	22	21	17.30	15.57	14.01
1121010	35BYG201	2	3.2	0.8	4	510	<150	0.14	26	21	17.30	15.57	14.01
1121011	35BYG202	2	4	0.8	4.8	500	<150	0.14	26	21	17.30	15.57	14.01
1121012	35BYG205	2	12	0.25	45	400	<150	0.14	26	21	17.30	15.57	14.01
1121013	35BYG305	2	12	0.5	20	1000	<160	0.15	28	21	17.30	15.57	14.01
1121014	35BYG310	2	12	0.19	60	800	<160	0.15	28	21	17.30	15.57	14.01
1121002	35BYG005	2	12	0.5	20	1000	150	0.14	28	21	22.10	19.89	17.90
1121004	35BYG008	2	24	1.6	1.3	900	120	0.14	29	21	17.3	15.57	14.01
1121006	35BYG305	2	12	0.5	20	1000	150	0.14	28	21	17.3	15.57	14.01
1121007	35BYG408	2	2.4	1.6	1.3	900	<180	0.15	29	21	17.3	15.57	14.01
1121008	35BYG202	2	4	0.8	4.8	500	150	0.14	28	21	17.3	15.57	14.01
1122001	39BYG101-01	2	5	1	5	1800	150	0.2	34	23	17.53	15.78	14.20
1122002	39BYG101	2	2.8	0.4	6.8	650	<120	0.14	20	19	18.40	16.56	14.90
1122003	39BYG201	2	9.6	0.48	20	1000	200	0.2	24	5	16.46	14.82	13.34
1122004	39BYG401	2	14	0.4	31	2300	200	0.2	34	24	17.30	15.57	14.01
1122005	39BYG401A	2	12	0.4	30	2100	200	0.2	34	24	18.87	16.98	15.28
1122006	39BYG301	2	9.6	0.48	20	1000	200	0.2	24	5	17.30	15.57	14.01
1122007	39BYG105	4	6.8	0.5	13	800	<120	0.14	20	21	17.30	15.57	14.01
1122008	39BYG106	2	2.8	0.4	6.6	600	<120	0.14	20	21	17.30	15.57	14.01
1122009	39BYG302	2	5.12	0.32	16	1000	<260	0.18	25	13	17.30	15.57	14.01
1122010	39BYG403	4	12	0.3	40	130	<260	0.2	34	21	17.30	15.57	14.01
1122011	39BYG407	2	4.6	0.65	7	1800	<260	0.2	34	21	17.30	15.57	14.01
1122012	39BYG411	2	5	1	5	1800	<260	0.2	34	23	17.30	15.57	14.01
1122013	39BYG504	4	12	0.8	7.5	2000	<300	0.24	38	21	17.30	15.57	14.01
1122014	39BYG505	4	15	0.3	50	2000	<260	0.2	38	20	17.30	15.57	14.01


www.DataSheet4U.com

**Step Angle** 1.8°±5%  
**Insulation Resistant** 500V DC 100MO Min  
**Insulation Strength** 50Hz 1Minute 500V Min  
**Ambient Temperature** -20°C~+50°C  
**Temperature Rise** 80°C Max  
**Shaft Radial Play** 0.02mm Max  
**Shaft End Play** 0.1-0.3mm

**Stepper Motor****Bipolar (2-phase)****Unipolar (4-phase)****42BYG/BYGH Series HB Stepper Motors**

Kysan #	MFG#	No. of Phase	Voltage (V)	Current (A)	Resistance (Ohms)	Inductance (mH)	Holding Torque (g.cm)	Weight (Kg)	Size(mm)		Price(US\$)		
									L0	L1	1+	10+	100+
1123001	42BYG014	4	8.5	0.45	19	13	1300	0.22	38	5	16.47	14.82	13.34
1123002	42BYG016	4	12	0.16	75	55	900	0.2	33.5	17	15.63	14.07	12.66
1123003	42BYG017	2	6.3	0.42	15	16	1400	0.22	34	13	16.47	14.82	13.34
1123004	42BYG023-2	2	12	0.4	30	36	2100	0.22	33	5	20.57	18.51	16.66
1123005	42BYG034	2	14	0.4	35	44	2300	0.2	33.5	24	15.63	14.07	12.66
1123006	42BYG205	4	12	0.16	75	15	1320	0.22	36	5	15.63	14.07	12.66
1123007	42BYG228	4	12	0.4	30	23	2000	0.24	38	5	15.63	14.07	12.66
1123008	42BYG023	2	12	0.4	30	36	2100	0.2	33.5	16	15.63	14.07	12.66
1123009	42BYG304	2	12	0.3	40	80	2800	0.22	38	5	15.63	14.07	12.66
1123010	42BYG015	4	48	0.3	160	50	1250	0.22	38	5	15.63	14.07	12.66
1123011	42BYGH020	2	9.2	0.24	38	52	664	0.25	32	6	17.50	15.75	14.18
1123012	42BYG019	4	11	0.28	39.4	23.5	1200	0.2	33.5	16	15.63	14.07	12.66
1123013	42BYG020	4	12	0.6	20	14	1700	0.2	33.5	16	15.63	14.07	12.66
1123014	42BYG206	2	3.2	1.2	2.7	5	2400	0.24	38	24	15.63	14.07	12.66
1123015	42BYG013	4	0.6	0.2	3	39	1000	0.2	33.5	16	15.63	14.07	12.66
1124001	42BYGH001	2	2	0.95	2.1	2.3	1700	0.22	34	24	17.50	15.75	14.18
1124002	42BYGH102	4	3	1.2	2.5	2.8	2400	0.24	39	24	18.53	16.68	15.01
1124003	42BYGH404	2	12	0.4	30	25	3200	0.27	48	24	21.07	18.96	17.06
1124004	42BYGH007	4	12	0.31	38.5	18	1500	0.2	34	20	17.50	15.75	14.18
1124005	42BYGH025	2	2.5	0.95	2.6	2.6	1700	0.2	34	20	17.50	15.75	14.18
1124006	42BYGH101	4	6	0.7	8.5	5.6	1500	0.24	39	24	17.50	15.75	14.18
1124007	42BYGH102-01	2	5	1	5	12	2600	0.24	39	24	17.50	15.75	14.18
1124008	42BYGH103	2	12	0.4	30	58	3800	0.24	39	24	17.50	15.75	14.18
1124009	42BYGH128	4	12	0.4	30	24	2500	0.24	39	24	17.50	15.75	14.18
1124010	42BYGH301	2	8.1	0.9	9	14	4400	0.34	48	34	17.50	15.75	14.18
1124011	42BYGH302	4	12	0.4	30	25	3200	0.34	48	34	17.50	15.75	14.18
1124012	42BYGH011	2	11.2	0.33	34	46	2400	0.2	34	20	17.50	15.75	14.18
1124013	42BYGH019	4	11.8	0.28	42	23	1800	0.2	34	22	17.50	15.75	14.18
1124014	42BYGH068	4	4	0.95	4.2	2.7	1700	0.2	34	22	17.50	15.75	14.18

- Step Angle 1.8°±5%
- Insulation Resistant 500V DC 100MO Min
- Insulation Strength 50Hz 1Minute 500V Min
- Ambient Temperature -20°C~+50°C
- Temperature Rise 80°C Max
- Shaft Radial Play 0.02mm Max
- Shaft End Play 0.1-0.3mm



**Stepper Motor****42BYGH Series HB Stepper Motors**

Kysan #	MFG#	No. of Phase	Voltage (V)	Current (A)	Resistance (Ohms)	Inductance (mH)	Holding Torque (g.cm)	Weight (Kg)	Size(mm)		Price (US\$)		
									L0	L1	1+	10+	100+
1124015	42BYGH204	2	4.3	1	4.3	6.3	4000	0.34	48	24	17.5	15.75	14.18
1124016	42BYGH205	2	3.8	1.2	3.2	6	4500	0.34	48	24	17.5	15.75	14.18
1124017	42BYGH2901	2	4.2	0.6	7	6	1200	0.24	30	27.5	17.5	15.75	14.18
1124018	42BYGH2902	2	2.4	1.2	2	2.8	1800	0.24	30	18	17.5	15.75	14.18
1124019	42BYGH3402	2	16	0.4	40	36	2600	0.24	34	18	17.5	15.75	14.18
1124020	42BYGH3404	4	5.2	0.5	10.5	7	1500	0.24	34	18	17.5	15.75	14.18
1124021	42BYGH3406	4	18.8	0.25	75	42	2000	0.24	34	18	17.5	15.75	14.18
1124022	42BYGH3407	2	9	0.4	22.5	30	2200	0.24	34	24	17.5	15.75	14.18
1124023	42BYGH3905	2	5.6	0.8	7	10	4200	0.24	40	24	17.5	15.75	14.18
1124024	42BYGH3906	4	7.4	0.65	11.5	12	3200	0.24	40	20	17.5	15.75	14.18
1124025	42BYGH3909	2	12	0.4	30	35	3200	0.24	40	24	17.5	15.75	14.18
1124026	42BYGH442C	4	12.6	0.3	42	40	2700	0.34	44	27	17.5	15.75	14.18
1124027	42BYGH4404	2	13.9	0.33	42	95	4200	0.6	44	24	17.5	15.75	14.18
1124028	42BYGH4408	4	5	1	5	6.8	3500	0.34	44	24	17.5	15.75	14.18
1124029	42BYGH4802	2	1.5	3	0.5	1.1	5000	0.34	48	17	17.5	15.75	14.18
1124030	42BYGH4803	2	4.2	1.5	2.8	4.8	5000	0.34	48	17	17.5	15.75	14.18
1124031	42BYGH4804	4	11.2	0.4	28	22	3200	0.34	48	24	17.50	15.75	14.18
1124032	42BYGH4806	4	52	1	52	5.2	3800	0.34	48	24	17.50	15.75	14.18
1124034	42BYGH3412-25	4	12	0.4	30	27	2600	0.24	34	24	17.50	15.75	14.18

Kysan Electronics is a distributor of electronic components, testing equipment, and computer products serving institutions, design houses, corporate customers, and service centers worldwide within automation industry and office automation markets.

We offer thousands of electronic components, a commitment to quality, and innovative solutions. Our sales professionals are ready to work diligently with you to support your needs for a variety of electrical motors and electronic components, testing equipment at our sales networks.



**Step Angle** 1.8°±5%  
**Insulation Resistant** 500V DC 100MO Min  
**Insulation Strength** 50Hz 1Minute 500V Min  
**Ambient Temperature** -20°C~+50°C  
**Temperature Rise** 80°C Max  
**Shaft Radial Play** 0.02mm Max  
**Shaft End Play** 0.1-0.3mm

**Stepper Motor****Bipolar (2-phase)****Unipolar (4-phase)****57BYG/BYGH Series HB Stepper Motors**

Kysan#	MFG#	No. of Phase	Voltage (V)	Current (A)	Resistance (Ohms)	Inductance (mH)	Holding Torque (kg.cm)	Weight (Kg)	Size(mm)		Price (US\$)		
									L0	L1	1+	10+	100+
1125001	57BYG007	4	12	0.38	32	30	3	0.5	41	21	24.57	22.11	19.90
1125002	57BYG008	4	4	1.3	3.1	4.4	5	0.59	51	21	27.63	24.87	22.38
1125003	57BYG009	4	2.4	2.4	1	1	6	0.65	56	21	28.93	26.04	23.44
1125004	57BYG061	2	6	0.5	12	24	3.6	0.45	41	21	27.63	24.87	22.38
1125005	57BYG070	4	5.4	1.5	3.6	6	9	1	76	21	43.87	39.48	35.53
1125006	57BYG084	4	12	0.6	20	22	6	0.59	50	25	27.63	24.87	22.38
1125007	57BYG069	4	6	1.2	5	8	6	0.65	56	21	25.00	22.50	20.25
1125008	57BYG016	2	7.6	1	7.6	18	4.6	0.45	41	21	25.00	22.50	20.25
1125009	57BYG026	2	9.50	1	9.5	26	7.8	0.6	51	21	25.00	22.50	20.25
1125010	57BYG027	4	12.00	0.38	32	30	3	0.6	51	21	25.00	22.50	20.25
1125011	57BYG048	2	3.30	1.5	2.2	5.2	6.4	0.6	53	41	25.00	22.50	20.25
1125012	57BYG057	2	3.85	1.1	3.5	6.5	3	0.6	41	21	25.00	22.50	20.25
1125013	57BYG066	4	6.04	0.85	7.1	9	4.2	0.6	51	21	25.00	22.50	20.25
1125014	57BYG079	2	2.80	2	1.4	4	8	0.65	56	25	25.00	22.50	20.25
1125015	57BYG081	4	5.18	1	5.18	7.95	7.6	0.6	50	21	25.00	22.50	20.25
1125016	57BYG102	4	23.94	0.38	63	110	6	0.6	51	21	25.00	22.50	20.25
1125017	57BYG108	2	2.59	1.8	1.44	3.6	5.8	0.6	51	21	25.00	22.50	20.25
1125018	57BYG119	2	2.98	3.5	0.85	1.6	8.4	0.65	56	21	25.00	22.50	20.25
1125019	57BYG201	4	11.40	0.38	30	32	3	0.45	41	21	25.00	22.50	20.25
1125020	57BYG210	4	2.00	2	1	1.65	5.8	0.65	56	21	25.00	22.50	20.25
1125021	57BYG320	4	3.00	3	1	1.6	10	0.95	80	20	25.00	22.50	20.25
1126001	57BYGH001	2	7.2	0.6	12	20.0	4	0.42	41	21	27.63	24.87	22.38
1126002	57BYGH801	4	3.3	1.5	2.2	22	5.6	1.14	50	21	29.83	26.85	24.16
1126003	57BYGH802	4	4.8	1.5	3.2	2.9	8.1	1.14	50	21	34.20	30.78	27.70
1126004	57BYGH803	4	6.3	1.5	4.2	8.5	14.3	1.14	76	21	43.87	39.48	35.53
1126005	57BYGH201	2	2.8	2.5	E r1.1	3.6	9	0.6	54	25.4	31.25	28.13	25.31
1126006	57BYGH102	2	2.4	3	0.8	2.4	7	0.55	50	22	31.25	28.13	25.31

**Beijing Office** Room 319, 313, 3rd Floor,  
 Zhichun Electronics Market, Beijing, China,

**Step Angle** 1.8°±5%  
**Insulation Resistant** 500V DC 100MO Min  
**Insulation Strength** 50Hz 1Minute 500V Min  
**Ambient Temperature** -20°C~+50°C  
**Temperature Rise** 80°C Max  
**Shaft Radial Play** 0.02mm Max  
**Shaft End Play** 0.1-0.3mm

**Bipolar (2-phase)****Unipolar (4-phase)****Stepper Motor****57BYGH Series HB Stepper Motors**



Kysan #.	MFG#	No. of Phase	Voltage (V)	Current (A)	Resistance (Ohms)	Inductance (mH)	Holding Torque (kg.cm)	Weight (Kg)	Size (mm)		Price (US\$)		
									L0	L1	1+	10+	100+
1126007	57BYGH101	2	7.2	0.6	12	32	7	0.55	50	21	31.25	28.13	25.31
1126008	57BYGH006	4	24.14	0.34	71	90	4.4	0.42	41	22	31.25	28.13	25.31
1126009	57BYGH007	2	14.2	0.4	35.5	52	5.6	0.42	41	22	30.87	27.78	25.00
1126010	57BYGH008	4	2.8	2	1.4	1.2	4.2	0.42	41	21	31.25	28.13	25.31
1126011	57BYGH103	4	12.16	0.38	32	38	6	0.65	50	21	31.25	28.13	25.31
1126012	57BYGH104	4	2.53	2.3	1.1	1.4	8.2	0.65	50	21	31.25	28.13	25.31
1126013	57BYGH202	4	2.25	3	0.75	1.2	9	0.65	54	21	31.25	28.13	25.31
1126014	57BYGH207	4	12	0.4	30	60	8	0.7	56	21	31.25	28.13	25.31
1126015	57BYGH208	4	3.52	1.6	2.2	3.4	8	0.65	53	25.5	31.25	28.13	25.31
1126017	57BYGH211	4	4.16	1.6	2.6	5	9	0.65	50	21	31.25	28.13	25.31
1126018	57BYGH212	2	3.5	1	3.5	12.5	9	0.65	54	21	31.25	28.13	25.31
1126019	57BYGH213	4	6.2	1	6.2	10	9	0.65	54	21	31.25	28.13	25.31
1126020	57BYGH218	2	8.2	1	8.2	16.8	10	0.7	56	31.5	31.25	28.13	25.31
1126021	57BYGH291	4	3.25	2.5	1.3	4.5	8	0.7	54	21	31.25	28.13	25.31
1126022	57BYGH301	2	5.88	1.4	4.2	15	15	1.1	76	21	31.25	28.13	25.31
1126023	57BYGH302	4	3	3	1	2.1	13	0.65	76	21	31.25	28.13	25.31
1126024	57BYGH303	4	5.75	2.3	2.5	5.3	13	0.65	76	21	31.25	28.13	25.31
1126025	57BYGH310	2	8.6	2	4.3	16.2	24	1.1	76	21	31.25	28.13	25.31
1126026	57BYGH311	4	3.6	3	1.2	2.2	15	1.1	76	25.5	31.25	28.13	25.31
1126027	57BYGH315	4	3	3	1	1.6	13.5	1.1	76	25.5	31.25	28.13	25.31
1126028	57BYGH316	2	4.2	3	1.4	3.5	18	1.1	76	21	31.25	28.13	25.31
1126029	57BYGH317	4	4.5	2.5	1.8	3	18	1.1	76	21	31.25	28.13	25.31
1126030	57BYGH318	2	3.3	3.3	1	2	18	1.1	76	21	31.25	28.13	25.31
1126031	57BYGH320	2	15.2	0.4	38	150	18	1.1	76	21	31.25	28.13	25.31
1126032	57BYGH323	2	32	0.4	80	18.5	16	1.1	76	21	31.25	28.13	25.31
1126033	57BYGH402	4	5.5	2.5	2.2	3.8	18	1.5	82	30	31.25	28.13	25.31
1126034	57BYGH405	4	3.6	3	1.2	2.4	21	1.3	82	21	31.25	28.13	25.31
1126035	57BYGH408	2	3.6	3	1.2	4	21	1.5	82	21	31.25	28.13	25.31

**Dalian Office** Changxing E lectronics Market, Dalian, China E-mail: [info@kysanelectronics.com](mailto:info@kysanelectronics.com)

- Step Angle 1.8°±5%
- Insulation Resistant 500V DC 100MO Min
- Insulation Strength 50Hz 1Minute 500V Min
- Ambient Temperature -20°C~+50°C
- Temperature Rise 80°C Max
- Shaft Radial Play 0.02mm Max
- Shaft End Play 0.1-0.3mm



**Stepper Motor**



### 85BYGH Series HB Stepper Motors

Kysan #	MFG#	No. of Phase	Voltage	Current (A)	Resistance (O)	Holding Torque (kg.cm)	Rotor Inertia (g.cm <sup>2</sup> )	Weight (Kg)	Size (mm)		Price (US\$)		
			(V)						L0	L1	1+	10+	100+
1127001	85BYGH450	4	4.4	2	2.2	21	1400	2.2	68	37	82.3	74.07	66.66
1127002	85BYGH450A-01	4	4.4	2	2.2	21	1400	1.7	68	37	158.38	142.54	128.29
1127003	85BYGH450A-02	4	4.4	4.5	0.44	21	1400	1.7	68	37	158.38	142.54	128.29
1127004	85BYGH450B-01	4	6.4	2	3.2	41	2700	2.8	98	37	158.38	142.54	128.29
1127005	85BYGH450B-02	4	2.8	4.5	0.62	41	2700	2.8	98	37	158.38	142.54	128.29
1127006	85BYGH450C-01	4	7.8	2	3.9	63	4000	3.8	128	37	158.38	142.54	128.29
1127007	85BYGH450C-02	4	3.8	4	0.95	63	4000	3.8	128	37	158.38	142.54	128.29
1127008	85BYGH450A-04	4	3	3	1	23	1400	1.7	68	37	158.38	142.54	128.29
1127009	85BYGH450A-06	2	2.1	4	0.53	24	1400	1.7	68	37	158.38	142.54	128.29
1127010	85BYGH450A-07	2	1.4	5	0.28	25	1400	1.7	68	37	158.38	142.54	128.29
1127011	85BYGH450A-08	2	4.2	4	1.05	42	1400	1.7	68	37	158.38	142.54	128.29
1127012	85BYGH450A-09	2	2.8	2	1.4	24	1400	1.7	68	37	158.38	142.54	128.29
1127013	85BYGH450B-03	4	6.4	2	3.2	60	2700	2.8	113	37	128.2	115.38	103.84
1127014	85BYGH450B-04	4	3.6	4.2	0.85	61	2700	2.8	113	37	128.2	115.38	103.84
1127015	85BYGH450B-05	2	2.8	4	0.7	50	2700	2.8	113	37	128.2	115.38	103.84
1127016	85BYGH450B-06	4	3.1	5	0.62	42	2700	2.8	113	37	128.2	115.38	103.84
1127017	85BYGH450B-07	4	4.8	3	1.6	60	2700	2.8	113	37	128.2	115.38	103.84
1127018	85BYGH450C-03	4	6	3	2	67	4000	3.8	151	37	128.2	115.38	103.84
1127019	85BYGH450C-04	2	4.4	4.5	0.98	67	4000	3.8	151	37	128.2	115.38	103.84

### Driver



### Spider Coupler

Kysan #	MFG #	Price(US\$)			Kysan #	Hole Size (mm)	Price (US\$)		
		1+	10+	100+			1+	10+	100+
1141001	CW220	76.93	69.24	62.32	1142001	3.18	0.4	0.36	0.32
1141002	CW242	76.93	69.24	62.32	1142002	5	0.4	0.36	0.32
1141003	CW250	85.47	76.92	69.23	1142003	6.35	0.4	0.36	0.32
1141004	CW430	76.93	69.24	62.32	1142004	rubber	0.2	0.18	0.16
1141005	XCW220	76.93	69.24	62.32	1142005	14-15	6.4	5.76	5.18
1141007	CW230	85.47	76.92	69.23	1142006	6.35-10	4.27	3.84	3.46
1141012	CW260C	235.03	211.53	190.37	1142007	10.0-10.0	6.4	5.76	5.18
1141010	CW01	256.41	230.77	207.69	1142008	14.0-10.0	6.4	5.76	5.18

- Step Angle 1.8°±5%
- Insulation Resistant 500V DC 100MO Min
- Insulation Strength 50Hz 1Minute 500V Min
- Ambient Temperature -20°C~+50°C
- Temperature Rise 80°C Max
- Shaft Radial Play 0.02mm Max
- Shaft End Play 0.1-0.3mm




**Stepper Motor**



### 110BYG Series HB Stepper Motors

Kysan #	MFG#	No. of Phase	Step Angle (Deg.)	Voltage (V)	Current (A)	Resistance (O)	Inductance (mH)	Holding Torque (Kg-cm)	Rotor Inertia (Kg.cm2)	Weight (Kg)	Price (US\$)		
											1+	10+	100+
1128001	110BYG450C	4	0.9/1.8	80-200	6	0.18	2	45	3.8	3.8	187.50	168.75	151.88
1128002	110BYG450	4	0.9/1.8	80-200	6	0.22	2.1	71	7.5	7.5	192.30	173.07	155.76
1128003	110BYG450A	4	0.9/1.8	80-200	6	0.3	3.2	103	11.5	11	187.50	168.75	151.88
1128004	110BYG007	5	0.36/0.72	130	5	0.3	1.9	68	7.5	7.5	187.50	168.75	151.88
1128005	110BYG008	5	0.36/0.72	130	5	0.37	3.4	103	11.5	11.5	187.50	168.75	151.88
1128006	110BYG550A	5	0.36/0.72	130	3	0.5	5.3	68	7.5	7.5	187.50	168.75	151.88
1128007	110BYG550B	5	0.36/0.72	130	3	0.62	9.5	103	11.5	11.5	187.50	168.75	151.88

### Wiring Diagram



www.DataSheet4U.com