

AN960C8L FLAT WASHER SPEC

Alternate P/N: NAS1149CN816R

Description:

Size: #8, thickness: 1/64, corrosion resistant steel, passivated finish

AN960C8L Manufacturer certs (CofC) are provided free on all orders

Order this part online



Additional Information

Gov. Issued Name:	Washer, Flat
NSN:	5310-01-352-9577
NIIN:	013529577
FSC:	Nuts and Washers / 5310
Associated NSN(s):	<ul style="list-style-type: none">• 5310-00-026-9081• 5310-00-282-4789• 5310-00-595-5702• 5310-00-699-9798• 5310-00-793-8755• 5310-00-966-2361• 5310-01-213-5063• 5310-01-251-3398
Schedule B:	7318.22.0000
ECCN:	9A991.D
National Motor Freight:	194160, Washer Or Gaskets, Iron Or Steel,

Manufacturer Country: United States

See page 2 for technical characteristics

AN960C8L Specifications

Center Hole Shape Style:	Round
Cross-sectional Shape Style:	Rectangular
Hole Diameter:	0.164 Inches Minimum And 0.184 Inches Maximum
Material:	Steel Corrosion Resisting Overall Or Steel Comp 321 Overall Or Steel Comp 347 Overall Or Steel Comp 348 Overall
Overall Diameter:	0.370 Inches Minimum And 0.395 Inches Maximum
Material Document And Classification:	Mil-s-5059 Mil Spec 1st Material Response Overall And Mil-s-6721 Mil Spec 2nd Material Response Overall And Mil-s-6721 Mil Spec 3rd Material Response Overall And Mil-s-6721 Mil Spec 4th Material Response Overall
Peripheral Shape Style:	Round
Surface Treatment:	Passivate Overall
Thickness:	0.006 Inches Minimum And 0.026 Inches Maximum

How to Order

Order this flat washer from our inventory online by visiting <https://military-fasteners.com/washers/flat-washers/AN960C8L> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.