

Attansic Technology Corporation.

ATSP8 CPU Smart Guard

Release Date: Dec. 2001

Revision: 1.0

Revision History

Version	Date	Changes from Last Version
0.23	02/05/2002	1. Add Time Table (p3-1)

Attansic Technology Corporation
Confidential



1. General Description

ATSP8 is an integration device that includes a 1.5 V low dropout voltage regulator and a control logic circuit for Advanced CPU Thermo-trip function. The regulator has a low dropout voltage at full load 150mA. The control logic circuit supports Thermo-trip function, turn off power, PWM and clock to protect CPU and system when Thermo-trip activating.

2. Features

- Low Dropout voltage regulator (1.2V/150mA)
- Package: SOP 8-Pin
- Advanced CPU Thermal-trip function

Attansic Technology Corporation
Confidential



3. Pin Configuration








Figure 1. ATSP8 Pin Diagram (Top View)

Attansic Technology Corporation
Confidential



4. Package Information SOP8pin Outline Dimension



Symbol	Dimension in mm		Dimension in inch	
	Min	Max	Min	Max
A	1.35	1.75	0.0532	0.0688
A1	0.10	0.25	0.0040	0.0098
B	0.33	0.51	0.013	0.020
C	0.19	0.25	0.0075	0.0098
e	1.27BSC		0.050BSC	
D	4.80	5.00	0.1890	0.1968
H	5.80	6.20	0.2284	0.2440
E	3.80	4.00	0.1497	0.1574
L	0.40	1.27	0.016	0.050
h	0.25	0.50	0.0099	0.0196
θ	0°	8°	0°	8°
JEDEC	MS-012 (AA)			

*NOTES: DIMENSION "D" DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS.

MOLD FLASH, PROTRUSIONS AND GATE BURRS SHALL NOT EXCEED 0.15 MM (0.006 INCH) PER SIDE.



Copyright © 2001 Attansic Technology Corp.

This is a preliminary information release. All specifications are subject to change without notice. The materials contained in this document replace all previous documentation issued for the related products included herein. Please contact Attansic Technology Corp. for the latest documents.

Attansic is the trademark of Attansic Technology Corp.

All specifications are subject to change without notice.

Additional copies of this document or other Attansic literatures may be obtained from:

**3FL.,No 147, Hsien Cheng 9th Rd.,
Chu-Pei, Hsin-Chu Hsien,
Taiwan, R. O. C.**

**Tel: 886-3-5545660
Fax: 886-3-5545661**

If you have any marketing or sales questions or further information, please contact:

Andy Tu:

E-mail: andy_tu@attansic.com.tw

Tel: 886-3-5545660 (105)

Fax: 886-3-5545661

Mike Chang:

E-mail: mike_chang@attansic.com.tw

Tel: 886-3-5545660 (800)

Fax: 886-3-5545661

To find out more about Attansic, visit our World Wide Web address at:

<http://www.attansic.com.tw/>

