


# **BL50436Color TV Remote Control System**

### **Description**

50436 is a single-chip 4-bit microcomputer developed exclusively for digital tuning systems using the voltage synthesizer method. It is produced using silicon-gate COMS process and is supplied in a 52-lead plastic dual-in-line package. It has on screen display control circuit in addition to all the microcomputer circuits. It is able to receive infrared remote control signal from BL50462, and further, rich controlling functions are possessed.

### Pin assignment



#### **Features**

 $5V \pm 10\%$  single power supply; a mere consumed current of 4mA

30sets of programs available at the utmost with automatic preset function

Sequential channel-selecting with local keyboard; sequential or direct channel selecting with remote control

A 1/2<sup>14</sup>resolution of tuning voltage

On screen display function: program number, volume, brightness, contrast, sharp, treble, bass, balance, tint, video input, residual time of timing turn off, real channel number, system, and multi-aural can be displayed, altogether in 3 row, which may consist 16 characters in the utmost each. It has 64 characters and 7 colors, and 4 of the colors can be used simultaneously.

AFT ON/OFF set-up on every set of program available

Manual tuning regulation

Muting

A maximum 9-analog control(with µ PD6326C)

Redundant channels skipping

Video input conversion control

Selective number of video input (TV/AV<sub>1</sub>/AV<sub>2</sub>/RGB, or TV/AV<sub>1</sub>/AV<sub>2</sub>, or TV/AV, or TV/only)

Real received channel setting up

Timing turn-off (30 min/60 min/90 min/120min)

Selective number of wave bands (three bands/one band) and wavebands transition

Remote controlling by signal from BL50462

Saving received program

Address: No.810, YiShan Road ShangHai China Tel: 86-021-64850700 Fax: 86-64852222 Zip.200233



# **BL50436Color TV Remote Control System**

Operating status i.e. volume, color saturation ratio, contrast, sharp, treble, bass balance, chrominance etc, will be saved when turn-off. Previous status is entered at next start-up.


4MHz operating frequency

52-lead dual-in-line plastic package

# **Application**

Used as Central Controlling Unit of infrared remote-control color TV.

# **Application Circuit**



Address: No.810, YiShan Road ShangHai China Tel: 86-021-64850700 Fax: 86-64852222 Zip.200233