

Categories

- [Apple »](#)
- [Mobile »](#)
- [Electronics »](#)
- [Telephone »](#)
- [Wireless »](#)
- [Tablet PC »](#)
- [Laptop »](#)
- [Beauty & Care »](#)
- [TV »](#)
- [AC »](#)

Specials



General Split 1 Ton Piston
~~PKR 66,000.00/-~~ PKR 63,000.00/-

[Add to Cart](#)



General Split 1 Ton Rotary
~~PKR 58,000.00/-~~ PKR 54,000.00/-

[Add to Cart](#)



General Split 1.5 Ton Piston
~~PKR 105,000.00/-~~ PKR 99,500.00/-

[Add to Cart](#)



General Split 1.5 Ton Rotary
~~PKR 98,500.00/-~~ PKR 95,500.00/-

[Add to Cart](#)

Cash on Delivery For Karachi
 with all Over the World Home Delivery



All Order @NationalPk Will be Delivered by SkyNET WORLDWID EXPRESS @your Door Step

SKYNET WORLDWIDE EXPRESS

NationalPk.com
 Online shopping store in Pakistan
 Welcome to Ultimate shopping resource in Pakistan

[Home](#) » [COMMAX DPV-4PN](#)

COMMAX DPV-4PN



Product Code: COMMAX DPV-4PN

Warranty: 0 (months)

Availability: In Stock

Price: PKR 9,900.00/-

Ex Tax: PKR 9,900.00/-

Qty: [Add to Cart](#) - OR - [Add to Wish List](#)
[Add to Compare](#)

★★★★★ [0 reviews](#) | [Write a review](#)

[Share](#)

[Description](#) | [Reviews \(0\)](#) | [Related Products \(3\)](#)

COMMAX DPV-4PN Video Door Phone:

- It is available with additional sub phone(Inter phone) in a household.
- Power supply: 210-230V 50/60Hz.
- Power consumption: 24W in talk mode, 2W in standby mode.
- 4-wire intercom control panel.
- Monitor CRT, black and white, flat, 4-inch diagonal.
- Adjust the picture brightness, volume, tone.
- Connection of a memory block intercom VM-32/64.
- Control button lock.
- Sound a call: dial.
- Maximum length of wire to the outside panel 50 meters.
- Operating temperature: 0C ° -40 °.
- Material white plastic.

- Net weight: 1.5 kg.

- Dimensions: 196 (w) x 220 (h) x 52 (d).

Overview

KNX DPV-4PN B/W Monitor

COMMAX' video door phone is well known for its high performances, neat designs and economical efficiencies throughout the world.

Features



Slave phone

It is available with additional sub phone(Inter phone) in a household

Spec

▶ Power Source	AC100~220V , 50/60Hz
▶ System type	Stand alone
▶ Extension Unit	DP-4VHP(Interphone)
▶ Mounting type	Surface mounted type
▶ Display	10.16cm (4")B/W CRT
▶ Wiring	Camera :4 wires Interphone:4 wires
▶ Dimension	Without handset : 196X220X57mm With handset : 196X220X69mm
▶ On-screen duration	Waiting : 30 sec , In use : 60 sec
▶ Distance	50m(0.65Φ) , 28m(0.5Φ)
▶ Temperature	0(°C)~40(°C)

Function



Visitor image checking, talk and door open



Monitoring an entrance




Interphone connection
Connectable with DP-4VHP




Measurements/ Installation diagram/Wiring diagram, etc.




+ Measurements



+ Installation diagram




+ Wiring diagram



Installation example

Living room



Information

- [About Us](#)
- [Delivery Information](#)
- [Privacy Policy](#)
- [Terms & Conditions](#)

Customer Service

- [Contact Us](#)
- [Returns](#)
- [Site Map](#)

Extras

- [Brands](#)
- [Gift Vouchers](#)
- [Affiliates](#)
- [Specials](#)

My Account

- [My Account](#)
- [Order History](#)
- [Wish List](#)
- [Newsletter](#)