Advanced Multimedia Analog Overlay Chip

Description

The EM9010 is an advanced multimedia analog overlay chip that provides overlaying live video over VGA graphics. It is the ideal companion chip for applications displaying (full-screen or in a window) high-quality video, such as Progressive DVD.


Analog overlay technology eliminates the need for the traditional feature connector on the VGA video card. This eliminates compatibility problems with different VGA feature connector standards and allows users to upgrade their graphics controller card without worrying about compatibility issues.

The EM9010 accepts both digital and analog inputs for MPEG video. Included on-chip are a YCbCr to RGB color space converter, triple 8-bit videoDACs, automatic polarity detection of the VGA HSYNC and VSYNC signals, and an integrated timing generator to generate PAL/NTSC timing signals.

Features

- · Analog Overlay of Video and Graphics
- Supports Resolutions up to 1600x1200 at Refresh Rates up to 120 Hz
- Integrated Triple 8-bit VideoDACs Support 16.8M Colors
- Programmable RGB Color Key and Chroma Key Detection with six 8-bit DACs
- Three Integrated Programmable Clocks: Video Clock PLL (Recovery up to 75 MHz), System Clock PLL, and General-Purpose Clock PLL
- YCbCr to RGB Color Space Converter Operating up to 75 MHz with 10-bit Precision

Block Diagram



www.DataSheet4U.com




Three internal programmable Phase Locked Loops (PLL) are provided. One generates a pixel clock locked to the horizontal sync input. The other two are derived from a standard 14.318 MHz crystal and may be used for system clock and general-purpose clock generation.

The EM9010 may also be used in applications with out any MPEG video data. The AUX RGB inputs may be used to input analog RGB data from an auxiliary device like 3D graphics card.

Features


- · AUX RGB Inputs
- Automatic Polarity Detection of VGA HSYNC and VSYNC Inputs
- · NTSC/PAL Timing Generator
- · I2C Interface to Access Internal Registers
- · Power Supply: +5V
- Package: 64-pin TQFP

Application Example



www.DataSheet4U.com

Detailed Block Diagram



www.DataSheet4U.com

Copyright © 2002 by Sigma Designs, Inc. All rights reserved. Sigma Designs, REALmagic and the REALmagic logo are either registered trademarks or trademarks of Sigma Designs, Inc. in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners.

Sigma Designs products are sold by description only. Sigma Designs reserves the right to make changes in circuit design and / or specifications at any time without notice. Accordingly, the reader is cautioned to verify that data sheets are current before placing orders. Information furnished by Sigma Designs is believed to be accurate and reliable. However, no responsibility is assumed by Sigma Designs or its subsidiaries for its use; nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Sigma Designs or its subsidiaries.

Sales Offices

UNITED STATES

Sigma Designs, Inc. 355 Fairview Way Milpitas, CA 95035 +1 (408) 262-9003 +1 (408) 957-9740 FAX

JAPAN

Sigma Designs Japan 4-16-8 Nakahara, Mitaka-shi, Neto 181-0005, Japan +81 422 79 3067 +81 422 79 3067 FAX

CHINA

Sigma Designs China Room C1, 32F Electronic Science & Technology Building (Phase 2) 30 Shennan Road Central Shenzhen, PRC Postcode 518031 +86 755 3683878

KOREA

Sigma Designs Korea # 801, Dongil Techno Tower B/D Kuro-dong, Kuro-gu, Seoul, Korea +82 11 288 0406 +82 2 3281 2034 FAX

+86 755 3683873 FAX

EUROPE

Sigma Designs, Inc. 49, Rue des Moissonneurs Brussels, Belgium 1040 +32 496.501234 +32 234.72260 FAX

HONG KONG

Sigma Designs (Asia) Ltd. Unit 1516, Tower 1, Metroplaza 223 Hing Fong Road Kwai Fong, N.T. Hong Kong +852 2401 7388 +852 2610 2177 FAX

TAIWAN

Sigma Designs Taiwan Far East World Center, C Tower 8F-8, No. 79, Sec. 1 Hsin Tai Wu Road Hsichih, Taipei Hsien Taiwan, R.O.C. +886 2 2698 2066 +886 2 2698 2099 FAX

Revision Date: February 11, 2002