


## H3967 Series 3.96mm Crimp Terminal Housing



<b>H</b>	<b>3967</b>	—	<b>02</b>	<b>P</b>	<b>W</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	2		3	4	5	6	7	8	9

1. PRODUCTS:  
H:Housing

2. SERIES NO.:  
3967

3. CONTACT NO.:  
02-15

4. CONTACT TYPE:  
P:Non Distribution

5. INSULATOR COLOR:  
W:White

6. FILL IT WITH "0"


7. FILL IT WITH "0"

8. FILL IT WITH "0"

9. FILL IT WITH "0"

1

### H3967-XXPW0000R 3.96mm HOUSING WHITE




#### Specifications

Current Rating: 5A AC, DC  
Voltage Rating: 250V AC Maximum  
Operating Temp: -25°C ~ +85°C  
Contact Resistance: 10mΩ Max  
Insulation Resistance: 1000MΩ Min  
Terminal Material: Brass/Tin-plated  
Material: Nylon 66, UL94V-0

Poles	Dimension mm (in.)		Part No.	Note.
	A	B		
2	3.95 (0.156)	8.04 (0.317)		
3	7.92 (0.312)	12.10 (0.476)		
4	11.88 (0.468)	15.96 (0.628)		
5	15.84 (0.624)	20.00 (0.787)		
6	19.80 (0.780)	23.96 (0.941)		
7	23.76 (0.935)	27.90 (1.098)		
8	27.72 (1.074)	31.86 (1.254)		
9	31.68 (1.247)	35.88 (1.413)		
10	35.64 (1.403)	39.84 (1.569)		
11	39.60 (1.559)	43.74 (1.722)		
12	43.56 (1.715)	47.74 (1.880)		
13	47.52 (1.871)	51.70 (2.035)		
14	51.48 (2.027)	55.66 (2.191)		

ELECTRONIC  
COMPONENTS

## T3967 Series 3.96mm Crimp Contacts



<b>T</b>	<b>3967</b>	—	<b>T</b>	<b>B</b>	<b>D</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
1	2		3	4	5	6	7	8	9	10

1. PRODUCTS:  
T:Terminal

2. SERIES NO.:  
3967

3. CONTACT PLATING:  
T: Tin  
S: Selective Gold  
G: Gold Flash

4. MATERIAL:  
B: Brass  
P: Phosphor Bronze

5. WIRE OPTION:  
D: Suitable For 18-22 Awg

6. FILL IT WITH "0"




7. FILL IT WITH "0"

8. FILL IT WITH "0"

9. FILL IT WITH "0"

10. FILL IT WITH "0"

1

**T3967-TBD00000R****VH3.96mm TERMINAL BRASS MATERIAL FOR 18~22AWG**

THICKNESS: 0.25mm

MAT' BRASS , PHOSPHOR BRONZE TIN PLATED

CURRENT RATING: 5A AC, DC

VOLTAGE RATING: 250V AC DC

APPLICABLE WIRE RANGE: AWG#18-22

ELECTRONIC  
COMPONENTS