

6 Lead Hybrid Stepper Motor two Phase , 86mm NEMA 23 with brake



Place of Origin	Changzhou, China
Brand Name	JK
Certification	CE,ROHS ,ISO9001
Model Number	JK57HSB, JK86HSB
Minimum Order Quantity	1PCS-5PCS
Packaging Details	EXPORT CARTON
Delivery Time	FOR SAMPLES , 7-10 days For batch . 15-25days.
Payment Terms	T/T,L/C, PAYPAL, Western union,
Supply Ability	100000pcs/month

Products Detailed

6 Lead Hybrid Stepper Motors two Phase , 86mm NEMA 23 with brake

1. Model Number : JK57HSB, JK86HSB
2. Current / Phase : 1.0 A ~ 5 A
3. Step Angle: 1.8°
4. Motor Height: 86 mm
5. Inductance / Phase : 0.9 ~ 10 MH
6. Holding Torque :0.39 ~ 2.8 Nm
7. Lead Wire (No.): 4 or 6 wire
8. Function: Control
9. Certification: CE, ROHS, ISO9001
10. Applications: Use for robots stepper motor, electronic automatic equipment stepping motor , medical instrument stepping motor, advertising instrument stepper motor, lighting & audio equipment stepper motor ,printer stepper motor, textile machinery stepper motor.Cnc router stepper motor.

hybrid stepper motor with brake,NEMA23 stepper motor with brake Brake stepping motor ,86mm step motor with brake

Description:

NEMA23 gearbox stepping motor with brake , 57mm stepper motor with brake

1.5N.m Stepper motor , high torque stepper motor with 57mm size .

1.8N.m stepping motor ,

Applications:

Use for robots stepper motor, electronic automatic equipment stepping motor , medical instrument stepping motor,advertising instrument stepper motor, lighting& audio equipment stepper motor ,printer stepper motor, textile machinery stepper motor.Cnc router stepper motor.

Gearbox Specifications

Model No.	Step Angle	Motor Length	Current /Phase	Resistance /Phase	Inductance /Phase	Holding Torque	# of Leads	Detent Torque	Rotor Inertia	Mass
	(°)	(L)mm	A	Ω	mH	N.m	No.	g.cm	g.cm ²	Kg
JK57HS41-1006	1.8	41	1	5.2	5.5	0.39	6	250	150	0.47
JK57HS41-2006	1.8	41	2	1.4	1.4	0.39	6	250	150	0.47
JK57HS41-3006	1.8	41	3	0.63	0.6	0.39	6	250	150	0.47
JK57HS41-2804	1.8	41	2.8	0.7	1.4	0.55	4	250	150	0.47
JK57HS51-1006	1.8	51	1	6.6	8.2	0.72	6	300	230	0.59
JK57HS51-2006	1.8	51	2	1.65	2.2	0.72	6	300	230	0.59
JK57HS51-3006	1.8	51	3	0.74	0.9	0.72	6	300	230	0.59
JK57HS51-2804	1.8	51	2.8	0.83	2.2	1.01	4	350	280	0.68
JK57HS56-1006	1.8	56	1	7.4	10	0.9	6	350	280	0.68
JK57HS56-2006	1.8	56	2	1.8	2.5	0.9	6	350	280	0.68
JK57HS56-3006	1.8	56	3	0.75	1.1	0.9	6	350	280	0.68
JK57HS56-2804	1.8	56	2.8	0.9	2.5	1.26	4	350	280	0.68
JK57HS76-1006	1.8	76	1	8.6	14	1.35	6	600	440	1.1

JK57HS76-2006	1.8	76	2	2.25	3.6	1.35	6	600	440	1.1
JK57HS76-3006	1.8	76	3	1	1.6	1.35	6	600	440	1.1
JK57HS76-2804	1.8	76	2.8	1.13	3.6	1.89	4	600	440	1.1
JK57HS82-3004	1.8	82	3.0	1.2	4	2.2	4	1000	600	1.2
JK57HS82-5004	1.8	82	5	0.6	1.5	2.2	4	1000	600	1.2
JK57HS112-3004	1.8	112	3.0	1.6	6.8	2.8	4	1200	800	1.4
JK57HS112-4204	1.8	112	4.2	0.9	3.8	2.8	4	1200	800	1.4

Wiring Diagram:

Matching Stepper motor Driver: JK1545, JK0230

CHANGZHOU JINGKONG MOTOR&ELECTRIC APPLIANCE CO.,LTD



Business Type: Manufacturer
Main Market: North America South America Western Europe Eastern Europe Eastern Asia Southeast Asia Middle East Africa Oceania Worldwide
Brands: JKM
Employee Number: 150~200
Total Annual Sales Volume: 80% - 90%
Year Established: 2007

Contact this Supplier:

Telephone: 86-519- 88372558
Fax: 86-519- 88713769
Email: jkongmotor@gmail.com,sales@jkongmotor.com
Address: Qianjia Industrial zone, Yaoguan town, Changzhou City , Jiangsu Province ,China.213011
website: <http://www.hybrid-steppermotors.com/>

