



Relay Type: **JQX-62F - 1C - DC12V**
 Contact Form:- **1C**
 Coil Voltage:- **6 ~ 110 VDC**
 6 ~ 240 VAC

Contact Rating	Contact Form	1C
	Contact Resistance	30mΩ(1A, 6VDC)
	Contact Capacity	80A @ 250VAC, 100A @ 250VAC
General Specification	Insulation Resistance	1000mΩ, 500VAC
	Dielectric Strength	BCC 2500 VAC / BOC 1200 VAC
	Operate/Release Time	25ms/25ms
Coil Rating	Nominal Coil Power	DC 2.0W AC 2.5VA
	Coil Voltage	6 ~110VDC, 6 ~ 240VAC

Coil Data Chart	Nominal Voltage VDC	Pull in Voltage VDC	Release Voltage VDC	Coil Resistance Ω ±10%
	6	4.20	0.60	18
	12	8.40	1.20	70
	24	16.8	2.40	290
	48	33.60	4.80	1152
	60	42.0	6.00	2800
	110	88.0	11.0	9650
	Nominal Voltage VAC	Pull in Voltage VAC	Release Voltage VAC	Coil Resistance Ω ±10%
	6	4.80	1.80	9
	12	9.60	3.60	36
	24	19.20	7.20	144
	48	38.40	14.40	576
	110	88.0	36.00	3500
	220/240	176.00	72.00	12000/14400

