# **OKI** Electronic Components

March 3, 2004 **GTD-28643 Rev. 2.0** 


# **KGL4126HA**

# **Preliminary**

11.3 Gbps Mach-Zehnder Modulator Driver IC

### **FEATURES**

- High Output Voltage: Maximum Amplitude > 5.7 Vpp
- X-Point Control Function
- Output Amplitude Control Function
- Small Package: 7mm x 7mm QFP



### ABSOLUTE MAXIMUM RATINGS

Parameter	Symbol	Min	Max	Unit	Note
Supply Voltage	VS	-6.5	0.3	V	
V Doint Control Voltage	VB1	VS-4.5	VS+2.0	V	
X-Point Control Voltage		(Min6.5)	(Max. 0.3)		
Current Course FFT Cate Bigs Voltage	VC1	-6.5	VS+1.2	V	
Current Source FET Gate Bias Voltage			(Max. 0.3)		
DC Bias for Output Stage Amplifier	VD	0	5.0	V	
Operating Temperature at Package Base	Ts	-10	100	°C	
Storage Temperature	Tst	-40	125	°C	

### RECOMMENDED OPERATING CONDITIONS

Parameter	Symbol	Min	Тур	Max	Unit
Supply Voltage	VS	-5.46		-4.94	V
DC Bias for Output Stage Amplifier *1,2	VD	2.0		4.0	V
X-Point Control Voltage	VB1	VS+1.1		VS+1.5	V
Current Source FET Gate Bias Voltage *1,3	VC1	VS	VS+0.85	VS+1.0	V
Input Amplitude : Differential	Vin	0.25		1	Vpp
: Single – Ended	Vin	0.5		1	Vpp
Operating Temperature at Package Base	Ts	0		70	°C
Input Interface	AC coupled (External blocking capacitor is required)				
Output Interface	AC coupled (External Bias-T is required for VD)				

<sup>\*1</sup> Output amplitude can be tuned by control voltage VD.

<sup>\*2</sup> VD is supplied at Output Port using External Bias-T.

<sup>\*3</sup> It is recommended to set VC1 to a fixed value between VS+0.7V and VS+1.0V.

# **ELECTRICAL CHARACTERISTICS**

Parameter	Symbol	Condition	Min	Тур	Max	Unit
Input Data Rate		NRZ	11.3			Gbps
Supply Current of VS	Iss	X-Point : 45% - 55%		210	250	mA
Supply Current of VD	ΙD	Supply DC Bias by Bias-T		90	130	mA
Power Dissipation	Pw	Maximum Amplitude		1.5		W
Output Amplitude (Max)	Vo (Max)	50 Ω load,(AC Coupled)	5.7	6.0		Vpp
X-Point Control	Хр	NRZ, 50 Ω load	45		55	%
Output Rise/Fall Time	Tr/Tf	50 Ω load 20%-80%			40	ps
Input Return Loss	S11	100kHz-10 GHz		13		dB

# PACKAGE DIMENSIONS

# (Top View) 4.445 32-0.2 28-0.635 K4126 OKI HA DDD 1.5±0.25 Lot No.


Unit: mm

# PIN ASSIGNMENT

		·
No.	Symbol	Note
1	GND	Ground
2	GND	Ground
3	GND	Ground
4	GND	Ground
5	GND	Ground
6	GND	Ground
7	GND	Ground
8	GND	Ground
9	GND	Ground
10	GND	Ground
11	GND	Ground
12	GND	Ground
13	OUT	Signal Output Port
14	GND	Ground
15	GND	Ground
16	GND	Ground
17	GND	Ground
18	GND	Ground
19	VC1	Output Amplitude Control Port
20	VS	Supply Voltage Port
21	VS	Supply Voltage Port
22	VB2	Input Termination Port
23	VB1	X-Point Control Port and
23		Inverted Input Termination Port
24	GND	Ground
25	GND	Ground
26	GND	Ground
27	GND	Ground
28	INB	Inverted Input Port
29	GND	Ground
30	GND	Ground
31	IN	Signal Input Port
32	GND	Ground
	•	

Note) This Package is non-hermetic.

# TYPICAL APPLICATION



### **APPLICATION NOTE**

- 1. EXTERNAL BLOCKING CAPACITORS ARE REQUIRED FOR THE DATA INPUTS (IN/INB). TERMINATION CAPACITORS ARE REQUIRED BETWEEN THE CONTROL VOLTAGES (VB1/VB2) AND GROUND.
- 2. To minimize the dependence of the "X-Point" on the supply voltage VS
  - a. VB2 is open

VB2 is biased at about 0.76 x VS (-3.8V@VS=-5.2V) by the internal circuit. Control VB1, so that the voltage difference "VB1–VB2" is constant.

b. VB2 is biased

Bias VB2 at about –3.8V by using the external voltage source independent of VS.

Control VB1 by using the external voltage source independent of VS.

- 3. To minimize the dependence of "Output amplitude" on the supply voltage VS
  - a. It is recommended to set "VC1" to a fixed value between VS+0.7V and VS+1.0V. Control the voltage of "VC1", so that the voltage difference "VC1-VS" is constant.
  - b. The Output Amplitude can be tuned by adjusting VD; VD is supplied at the Output Port using an External Bias-T.
- 4. Power-up/shut-down sequence
  - a. For manual power-up, turn on supply control voltages (VB1, VB2, VC1) at first, next VS, then VD. For shutdown, turn off VD first, then VS, then control voltages. The sequence for the control voltages (VB1, VB2, VC1) is not critical.
  - b. For simultaneous start up it is recommended that the delay between the supply control voltages (VB1, VB2, VC1) and VS be minimized, or that all voltages be applied at the same time.

### SAFETY AND HANDLING INFORMATION ON GaAs DEVICES

Arsenic Compound (GaAs Devices)

The product contains arsenic (As) as a compound.

This material is stable for normal use, however, its dust or vapor may be potentially hazardous to the human body.

Avoid ingestion, fracture, burning or chemical treatment to the product.

- Do not put the product in your mouth.
- Do not burn or destroy the product.
- Do not perform chemical treatment for the product.

Keep laws and ordinances related to the disposal of the products.

### **NOTICE**

- 1. The information contained herein can change without notice owing to product and/or technical improvements. Before using the product, please make sure that the information being referred to is up-to-date.
- 2. The outline of action and examples for application circuits described herein have been chosen as an explanation for the standard action and performance of the product. When planning to use the product, please ensure that the external conditions are reflected in the actual circuit, assembly, and program designs.
- 3. When designing your product, please use our product below the specified maximum ratings and within the specified operating ranges including, but not limited to, operating voltage, power dissipation, and operating temperature.
- 4. Oki assumes no responsibility or liability whatsoever for any failure or unusual or unexpected operation resulting from misuse, neglect, improper installation, repair, alteration or accident, improper handling, or unusual physical or electrical stress including, but not limited to, exposure to parameters beyond the specified maximum ratings or operation outside the specified operating range.
- 5. Neither indemnity against nor license of a third party's industrial and intellectual property right, etc. is granted by us in connection with the use of the product and/or the information and drawings contained herein. No responsibility is assumed by us for any infringement of a third party's right which may result from the use thereof.
- 6. The products listed in this document are intended for use in general electronics equipment for commercial applications (e.g., office automation, communication equipment, measurement equipment, consumer electronics, etc.). These products are not authorized for use in any system or application that requires special or enhanced quality and reliability characteristics nor in any system or application where the failure of such system or application may result in the loss or damage of property, or death or injury to humans. Such applications include, but are not limited to, traffic and automotive equipment, safety devices, aerospace equipment, nuclear power control, medical equipment, and life-support systems.
- 7. Certain products in this document may need government approval before they can be exported to particular countries. The purchaser assumes the responsibility of determining the legality of export of these products and will take appropriate and necessary steps at their own expense for these.
- 8. No part of the contents contained herein may be reprinted or reproduced without our prior permission.

Copyright 2004 Oki Electric Industry Co., Ltd.