

MS35214-14 MACHINE SCREW SPEC

Military-Fasteners.com

Description:

Screw, Pan Head, Black Brass Instrument, 4-40, 3/8"

MS35214-14 Manufacturer certs (CofC) are provided free on all orders

Order this part online



Additional Information

Gov. Issued Name:	Machine Screw
NSN:	5305-00-207-7465
NIIN:	002077465
FSC:	Screws / 5305
Associated NSN(s):	5305-00-050-27995305-00-206-0675
	• 5305-00-207-0254
	• 5305-00-207-0943
	• 5305-00-208-7003
	• 5305-00-292-7707
	• 5305-00-461-5541
	• 5305-00-551-6714
	• 5305-00-576-6001
	• 5305-00-637-9034
	• 5305-00-685-1873
	• 5305-00-791-9537

Schedule B:	7415.33.8550, Other copper screws (not for wood) bolts and nuts
National Motor Freight:	096630, Screws Noi Brass / Bronze / Copper
Manufacturer Country:	United States

MS35214-14 Specifications

Fastener Length:	0.375 Inches Nominal
Head Diameter:	0.205 Inches Minimum And 0.219 Inches Maximum
Head Height:	0.070 Inches Minimum And 0.080 Inches Maximum
Head Style:	Pan
Minimum Tensile Strength:	57000 Pounds Per Square Inch
Nominal Thread Diameter:	0.112 Inches
Internal Drive Style:	Cross Recess Type 1
Screw Material:	Copper Alloy
Screw Material Document And Classification:	Qq-b-626 Fed Spec Single Material Response Or Qq-w-321 Fed Spec Single Material Response
Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	0.325 Inches Minimum And 0.375 Inches Maximum
Thread Quantity Per Inch:	40
Thread Series Designator:	Unc

How to Order

Order this machine screw from our inventory online by visiting <u>https://military-fasteners.com/screws/machine-screws/MS35214-14</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out<u>here</u> to complete your order.