

**Description:**

Diameter: 0.1120", thickness .016", corrosion resistant, passivated, NAS620 series washer

*NAS620C4L Manufacturer certs (CofC) are provided free on all orders*

Order this part online

---

**Additional Information**

Gov. Issued Name:	Washer, Flat
NSN:	5310-00-723-9676
NIIN:	007239676
FSC:	Nuts and Washers / 5310

- Associated NSN(s):
- 5310-00-005-0687
  - 5310-00-245-8806
  - 5310-00-246-5272
  - 5310-00-409-1801
  - 5310-00-411-8978
  - 5310-00-438-3535
  - 5310-00-464-8320
  - 5310-00-492-8742
  - 5310-00-526-2006
  - 5310-00-813-3843
  - 5310-00-930-3090
  - 5310-00-950-0136
  - 5310-01-037-0791
  - 5310-01-110-2458
  - 5310-01-211-3810

Schedule B: 7318.22.0000

ECCN: EAR99

National Motor Freight: 194160, Washer Or Gaskets, Iron Or Steel,

Manufacturer Country: United States

# NAS620C4L Specifications

<b>Center Hole Shape Style:</b>	Round
<b>Cross-sectional Shape Style:</b>	Rectangular
<b>Hole Diameter:</b>	0.115 Inches Minimum And 0.125 Inches Maximum
<b>Material Document And Classification:</b>	Qq-s-766 Cond A Fed Spec Single Material Response Overall
<b>Material:</b>	Steel Corrosion Resisting Overall
<b>Overall Diameter:</b>	0.204 Inches Minimum And 0.224 Inches Maximum
<b>Peripheral Shape Style:</b>	Round
<b>Specification/standard Data:</b>	80205-nas620 Professional/Industrial Association Standard
<b>Surface Treatment:</b>	Passivate Overall
<b>Thickness:</b>	0.016 Inches Nominal

## How to Order

Order this flat washer from our inventory online by visiting <https://military-fasteners.com/washers/flat-washers/NAS620C4L> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.