


AYDIN**VECTOR****AMPLIFIER/FILTER
PDF-106 Series**

- Programmable Gain
- Programmable Cut-Off
- Hermetically Sealed
- High Reliability
- Low Power
- Small Size
- Off the Shelf Delivery

The Vector Model PDF-106 is a hybrid voltage conditioner/presampling low-pass filter module. It combines a programmable instrumentation amplifier with a programmable 6-pole Butterworth filter.

The unit has been designed for use in severe environments such as those encountered in aerospace and rugged industrial applications.

Employing thick-film hybrid circuit design techniques, the unit offers small size, high accuracy, low power consumption and high reliability.

ELECTRICAL SPECIFICATIONS

Signal Input Range: ± 10 Vdc maximum.

Amplifier Gain Range: 0.1 to 1000 programmable by external resistor.

Gain Stability: $\pm 2\%$ F.S.

Offset Range: ± 10 Vdc.

Input Impedance (Diff): 100 megohms in parallel with 4 pF.

Input Impedance (Cmn Mode): 100 megohms in parallel with 4 pF.

Output Impedance: 100 ohms maximum.

Filter Type: Low pass.

Characteristic: 6 pole Butterworth.


Cut-Off Rate: -36 dB/Octave
 ± 3 dB theoretical

Cut-Off Range: 5 Hz to 5 kHz programmable by external components.

Cut-Off Point: -3.0 dB reference mid band response.

Cut-Off Accuracy: $\pm 5\%$.

Power: ± 15 V; 20 mA (ea) maximum.



ENVIRONMENTAL SPECIFICATIONS

Temperature Range:

Operating: -10°C to +75°C (Consult factory for extended temperature range.)

Storage: -45°C to 100°C

Vibration: Capable of withstanding greater than 30g from 55 to 200 Hz in each major axis.

Shock: Capable of withstanding at least 20g shock in each major axis.

Acceleration: Capable of withstanding at least 100g acceleration in each major axis.

Altitude: Unlimited.

Humidity: 95% RH non-condensing.

MECHANICAL SPECIFICATIONS

Size: See drawing.

Weight: 13 grams maximum.

Mounting: PCB, solder, zero insertion force socket, conventional socket.

Bulletin No. 10309900/2-82-1M/Printed in USA



AYDIN VECTOR DIVISION

NEWTOWN INDUSTRIAL COMMONS • P.O. BOX 328, NEWTOWN, PA 18940-0328 • (215) 968-4271 • TWX:510-667-2320