muRata

Product Search Data Sheet

Note: This datasheet may be out of date Please download the latest datasheet of

Please download the latest datasheet of PRF18BB471RB5RB from the official website of Murata Manufacturing Co., Ltd.

https://www.murata.com/en-eu/products/productdetail?partno=PRF18BB471RB5RB

# PRF18BB471RB5RB

In Production Recommended RoHS REACH

#### Appearance & Shape



H	e •	g 🕨	e	
Γ				
L				
Г				•
				-
E F	-	1		w
		-		

 Dimensions (mm)

 L
 W
 T
 e
 g

 PRF18\_RB
 1.6±0.15
 0.8±0.15
 0.1 to 0.6


 PRF21\_RA
 2.0±0.2
 1.25±0.2
 0.9±0.2
 0.2 min.
 0.5 min.

# Applications

Limited Usage	Consumer Grade
---------------	----------------

## Packaging Information

Packaging	Specifications	Minimum Order Quantity
RB	180mm Paper Tape	4000



1.Sensing accuracy +/-3 deg.C which is highest of PTC Thermistor and the same level as NTC at sensing point.

2.Same resistance-temperature characteristics as PRF18\_QB5RB series.

Easy to use higher accurate sensing type.

3.SMD type is helpful for miniaturizing circuits because of its small size and light weight.

4.Excellent thermal response due to small size

5.Solid-state construction provides excellent mechanical vibration and impact resistance.

6.Contactless operation provides noiseless operation.

7.Lead is not contained in the terminations.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





### PRF18BB471RB5RB

Note: This datasheet may be out of date

Please download the latest datasheet of PRF18BB471RB5RB from the official website of Murata Manufacturing

Co., Ltd. https://www.murata.com/en-eu/products/productdetail?partno=PRF18BB471RB5RB

## Specifications

Max. Voltage	32V
Sensing Temperature	115°C
Sensing Temperature Tolerance	±3°C
Measure Condition of Sensing Temperature	at 4.7k ohm
Sensing Temperature(2)	130°C
Sensing Temperature (2) Tolerance	±7°C
Measure Condition of Sensing Temperature(2)	at 47k ohm
Resistance (25°C)	470Ω
Resistance Value Tolerance (at 25°C)	±50%
Operating Temperature Range	-20°C to 140°C
Size Code (in mm)	1.6x0.8mm
Size Code (in inch)	0.6x0.3inch
Shape	SMD
Mass	0.004g

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

Product Search Data Sheet




#### PRF18BB471RB5RB

Note: This datasheet may be out of date. <u>Please download the latest datasheet of PRF18BB471RB5RB from the official website of Murata Manufacturing</u> <u>Co., Ltd.</u>

https://www.murata.com/en-eu/products/productdetail?partno=PRF18BB471RB5RB





 $(0) \\ (0)$ 

Resistance-Temperature Characteristics

Resistance-Temperature Characteristics Range (Reference)

 This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

3 of 3