


RB751V-40

Silicon Epitaxial Planar Schottky Barrier Diode


Features

- * Small surface mounting type
- * Low reverse current and low forward voltage
- * High reliability
- * High speed switching
- * Marking Code: "S8"











Maximum Ratings (T_A=25 °C unless otherwise noted)

Parameter	Symbol	Value	Unit
Peak Reverse Voltage	V _{RM}	40	V
Reverse Voltage	VR	30	V
Mean Rectifying Current	lo	30	mA
Peak Forward Surge Current (60 Hz for 1 Cyc.)	Ifsм	200	mA
Junction Temperature	Tj	125	$^{\circ}\!$
Storage Temperature Range	Tstg	- 40 to + 125	$^{\circ}\! \mathbb{C}$

Version: 6.1 www.jgdsemi.com



RB751V-40

Silicon Epitaxial Planar Schottky Barrier Diode

Electrical Characteristics (Ta=25°C unless otherwise noted)

Parameter	Symbol	Тур.	Max.	Unit
Forward Voltage at I _F = 1 mA	VF	-	0.37	V
Reverse Current at V _R = 30 V	lr	-	0.5	μΑ
Capacitance Between Terminals at V _R = 1 V, f = 1 MHz	Ст	2	-	pF

Ratings and Characteristic Curves




Fig. 1 Forward characteristics




Fig. 3 Capacitance between terminals characteristics




Fig. 2 Reverse characteristics

Version: 6.1 www.jgdsemi.com



RB751V-40

Silicon Epitaxial Planar Schottky Barrier Diode

Ordering Information

Part No.	Package	Packing Code	Packing
RB751V-40	SOD-323F	R30	3000pcs/Reel

Disclaimer

Specifications of the products displayed herein are subject to change without notice. JGD or anyone on its behalf, assumes no responsibility or liability for any errors inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied,to any intellectual property rights is granted by this document. Except as provided in JGD's terms and conditions of sale for such products, JGD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of JGD products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or seling these products for use in such applications do so at their own risk and agree to fully indemnify JGD for any damages resulting from such improper use or sale.

Version: 6.1 www.jgdsemi.com