

The Timken Company


4500 Mt Pleasant St. NW N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • Web site: www.timken.com

Timken Part Number RCJ1 3/16, Fafnir® Four-Bolt Flanged Units Eccentric Locking Collar






<u>Specifications</u> | <u>Dimensions</u> | <u>Basic Load Ratings</u>

Specifications –			
	Shaft Size d	1 3/16 in 30.2 mm	
	Bearing Number	G1103KRRB	
	Dimension D	3.000 in 76.2 mm	
	Dimension E	1.988 in 50.5 mm	
	Inside Ring Outside Diameter	1.728 in 43.9 mm	
	Series	Industrial	
	Weight	2.87 lb 1.302 Kg	
	Seal Type	Shroud Seal	

Housing Construction	Four-Bolt Square Flange
Alternate Part Name	RCJ13/16

Dimensions -			
	Total Length L	107.9 mm 4.248 in	
	Housing Width A	1.177 in 29.9 mm	
	Bolt Hole Spacing J	82.60 mm 3.252 in	
	Bolt Hole Size N	10 mm 0.394 in	
	Flange Thickness A1	13.5 mm 0.531 in	
	Center of Bearing from Housing End A2	20.3 mm 0.799 in	
	Inside Ring Width B	N/A	
	Bolt Size	M10	
	Center of Bearing from Bearing End S	20.3 mm 0.799 in	

Bas	sic Load Ratings		-
	Static Load Rating	2530 lbf 11300 N	
	Dynamic Load Rating	4850 lbf 21600 N	



Bearing Number	G1103KRRB				[a p]5 (
Load Ratings - C _r	4900	lbf	21800	N	ן(יון"
Load Ratings - C _{0r}	2500	lbf	11100	N	
Weight	2.87	lb	1.302	kg	THE TI
					NORTH

TIMKEN COMPANY
TH CANTON, OHIO USA

Fafnir® Four-Bolt Flanged Units Eccentric Locking
Collar

RCJ1 3/16

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.