



RoHS Compliant

- NOTES:
- 1.MATERIAL: NICKEL SILVER, THICKNESS 0.25mm
  - 2.PACKAGING: TRAY PACKAGING
  - 3.TEMPERATURE RANGE: -55°C TO +85°C


TOLERANCE UNSPECIFIED		<div>VITALCONN</div> <div>a vital connector company</div>		FOR YOUR VITAL CONNECTION	
.0	± 0.38			TITLE: SFP+1*4 CAGE	
.00	± 0.25				
.000	± 0.10				
ANGLE	± 3.00°				
MANUFACTURING COPY					
DRAWN BY:	BECKER	PART NO:	SC14B		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT: mm	SHEET:10F3	FCN: A4
APPROVED BY:	QPF	PROJECTION		http://www.vitalconn.com	

RoHS COMPLIANT




REV.	ECN. NO.	NAME	DATE

RoHS Compliant

TOLERANCE UNSPECIFIED  .0 ± 0.38 .00 ± 0.25 .000 ± 0.10 ANGLE ± 3.00° MANUFACTURING COPY		<b>VitalCONN</b> a vital connector company		FOR YOUR VITAL CONNECTION	
				TITLE: SFP+1*4 CAGE	
DRAWN BY:	BECKER	PART NO:	SC14B		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT: mm	SHEET:20F3	FCN: A4
APPROVED BY:	QPF	PROJECTION			<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>

REV.	ECN. NO.	NAME	DATE


## PACKAGE INFORMATION AND LABEL



PACKING QUANTITY : 16 PCS FINISHED GOODS PER TRAY

10 TRAYS (160 PCS FINISHED GOODS) PER CARTON BOX

# RoHS Compliant

TOLERANCE UNSPECIFIED  .0                    ± 0.38 .00                  ± 0.25 .000                ± 0.10 ANGLE             ± 3.00° MANUFACTURING COPY		<div>VITALCONN</div> <div>a vital connector company</div>		FOR YOUR VITAL CONNECTION	
		TITLE:        SFP+1*4 CAGE			
DRAWN BY:	BECKER	PART NO:	SC14B		REV: A
CHECKED BY:	VTA	SIZE: A4	UNIT: mm	SHEET:30F3	FCN: A4
APPROVED BY:	QPF	PROJECTION			<a href="http://www.vitalconn.com">http://www.vitalconn.com</a>