


C-MOS 40-BIT ANODE/GRID DRIVER

—TOP VIEW—



PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	O	HVO40	16	O	HVO25	31	—	Vcc1	46	O	HVO15
2	O	HVO39	17	O	HVO24	32	I	D-IN	47	O	HVO14
3	O	HVO38	18	O	HVO23	33	—	NC	48	O	HVO13
4	O	HVO37	19	O	HVO22	34	—	NC	49	O	HVO12
5	O	HVO36	20	O	HVO21	35	I	\overline{LE}	50	O	HVO11
6	O	HVO35	21	—	Vcc2	36	—	NC	51	O	HVO10
7	O	HVO34	22	—	NC	37	I	CL	52	O	HVO09
8	O	HVO33	23	—	GND	38	—	GND	53	O	HVO08
9	O	HVO32	24	—	NC	39	—	NC	54	O	HVO07
10	O	HVO31	25	I	CHG	40	—	Vcc2	55	O	HVO06
11	O	HVO30	26	—	NC	41	O	HVO20	56	O	HVO05
12	O	HVO29	27	I	CLK	42	O	HVO19	57	O	HVO04
13	O	HVO28	28	—	NC	43	O	HVO18	58	O	HVO03
14	O	HVO27	29	O	D-OUT	44	O	HVO17	59	O	HVO02
15	O	HVO26	30	—	Vcc1	45	O	HVO16	60	O	HVO01

