



ISSUE	REVISIONS	DRAWN	APPROVED	DATE
△				



PIN ASSIGNMENT

CN1

No.	SYMBOL	No.	SYMBOL
1	FGND	11	D ⁰
2	GND	12	D ¹
3	V _{DD}	13	D ²
4	V _{EE}	14	D ³
5	\overline{WR}	15	D ⁴
6	\overline{RD}	16	D ⁵
7	\overline{CE}	17	D ⁶
8	C/ \overline{D}	18	D ⁷
9	NC	19	FS
10	\overline{RESET}	20	RV

PIN ASSIGNMENT

No.	SYMBOL
21	LED ANODE
22	LED CATHODE

TOLERANCE			THIRD ANGLE PROJECTION	DATE MAR.24'00	OPTREX CORPORATION	
MEASURE	A	B				C
L≤16	±0.1	±0.3	±1	UNIT mm	APPROVED S.Kuwabara	TITLE DIMENSIONL OUTLINE
16<L≤63	±0.2	±0.5	±1.5			
63<L≤250	±0.3	±0.8	±2	SCALE 1:1	CHECKED N.Wada	CODE DMF-50773 LED Series
250<L≤500	±0.5	±1.2	±3			
500<L	±0.8	±2	±4	DRAWN K.MURAKAMI	DWC NO	UE-36772
ANGLE	±1°	±5°	±10°			