


MMA500

DC to 4 GHz Amplifier



SOT89 OUTLINE



Description:

The MMA500 is a fully matched amplifier fabricated in Aeroflex / Metelics reliable InGap HBT technology. The economical SOT89 package provides excellent wide-band performance with **RoHS** compliance.

Features:

- DC - 4 GHz Broadband Gain Block
- ± 0.5 dB Typical Gain Flatness
- 50 Ohms Input/Output Impedances

RF Specifications:

Parameter	Term	Minimum	Typical	Maximum	Units
3dB Bandwidth	BW	DC	---	4	GHz
Frequency Range	f_o	DC	---	2	GHz
Gain @ 2GHz	G_p	19	20	---	dB
Output Power	P_{1dB}	+16.5	+17.5	---	dBm
Standing Wave Ratio	VSWR	---	1.3:1	2.0:1	---
3 rd Order Intercept Point	IP3	+26	+28	---	dBm
Noise Figure	NF	---	3	4	dB
Device Current	I_c	---	45	---	mA
Device Voltage	V_{cc}	3.8	4	4.2	V

- NOTES:
1. $T_A = +25$ °C.
 2. $V_S = 5.0$ Vdc, $R_{BIAS} = 22$ Ω
 3. IP3 measured with two tones offset 10 MHz at 0 dBm per tone.

Absolute Maximum Ratings:

Parameters	Rating
Device Current (I_c)	60 mA
RF Input Power, continuous	+10 dBm
Operating Temperature	-40 to +85 °C
Storage Temperature	-55 to +125 °C
Thermal Resistance (θ_{jc})	125 °C/W

Typical RF Performance:

Figure 1.




Figure 2.




Figure 3.




Figure 4.




Figure 5.






Figure 6.



MMA500 DC to 4 GHz Amplifier



SOT89 Outline Dimensions:




ALL DIMENSIONS ± 0.003 INCH
0.07 MM


PIN	FUNCTION
1	INPUT
2	GROUND
3	OUTPUT

Lead Finish:
Matte Tin

Recommended PCB Layout:



MM
INCH




NOTE

PLATED THRU HOLES ARE CRITICAL FOR GOOD RF AND THERMAL PERFORMANCE. AEROFLEX-METELICS RECOMMENDS 12 TO 15 HOLES FOR MOST APPLICATIONS.

□ SHADING INDICATES NO SOLDERMASK IN THESE AREAS

Application Circuit:



R_{BIAS} vs. V_S

V_S (V)	5.0	6.0	8.0	10.0	12.0
R_{BIAS} (Ω)	22	43	91	130	180
Power Dissipation (W)	0.05	0.1	0.2	0.3	0.4

Aeroflex / Metelics Inc.

Aeroflex Microelectronic Solutions
975 Stewart Drive
Sunnyvale, CA 94085
TEL: 408-737-8181

54 Grenier Field Road
Londonderry, NH 03053
TEL: 603-641-3800

ISO 9001:2008 certified companies

Sales

888-641-SEMI (7364)
metelics-sales@aeroflex.com

www.aeroflex.com/Microwave www.aeroflex.com/Metelics

Aeroflex / Metelics, Inc. reserves the right to make changes to any products and services herein at any time without notice. Consult Aeroflex or an authorized sales representative to verify that the information in this data sheet is current before using this product. Aeroflex does not assume any responsibility or liability arising out of the application or use of any product or service described herein, except as expressly agreed to in writing by Aeroflex; nor does the purchase, lease, or use of a product or service from Aeroflex convey a license under any patent rights, copyrights, trademark rights, or any other of the intellectual rights of Aeroflex or of third parties.

Copyright 2010 Aeroflex / Metelics. All rights reserved.



Our passion for performance is defined by three attributes represented by these three icons: solution-minded, performance-driven and customer-focused.